

# Index

This index lists topics covered in the book in the order of the alphabet.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference. Medicines included in the green medicine pages are listed in the health problem index on page 472.

## A

- Abortion**, 92, 401–415  
*Also see* Manual vacuum aspiration (MVA); Miscarriage  
 bleeding too much after, 406, 412–414  
 deciding to help after, 402–403  
 emergency care for problems, 406–414  
 emotional support after, 403–404  
 finding care after, 401–403  
 helping a woman after, 401–415  
 incomplete, 407–408, 417, 419  
 infection after, 406, 409–411, 419  
 internal injury from, 413  
 IUD dangers after, 390  
 physical care after, 404–405  
 preventing unsafe abortions, 415  
 problems from, 401–405  
 safe versus unsafe, 92, 402  
 shock after, 413, 414  
 tetanus (lockjaw) after, 411  
 warning signs versus healthy signs, 404
- Abruption**. *See* Detached placenta (abruption)
- Abscess (lump) in breast**, 288
- Abusive partners**, 105
- Aches and pains**. *See* Pain
- Active labor**, 167, 188
- Acupressure**  
 to encourage labor, 192–193  
 to help with pain in labor, 193  
 for nausea relief, 74
- Addiction**, 46. *Also see* Drugs
- After birth**. *See* First few hours after birth; First weeks after birth
- Afterbirth**. *See* Placenta
- Age**  
 pregnancy problems and, 90  
 very young mothers, 22, 105
- AIDS**. *See* HIV
- Albusticks**, 126

## Alcohol (drinking)

- avoiding during pregnancy or breastfeeding, 30, 46
- infertility and, 31
- small baby and, 134
- for sterilizing tools, 64

## Alcohol (medical)

- hand cleaner with glycerine and, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

## Allergies

- to copper, IUDs and, 390
- to injections, 345
- to medicine, 103, 465–466

## Aminoglycosides

, 471

## Ammonia, washing floor with

, 57

## Amniotic waters

. *See* Bag of waters

## Anemia

- hookworm and malaria as causes, 37
- iron for preventing, 36
- IUD dangers and, 390
- with joint pain, 81
- in past pregnancies, 93
- signs of, 78, 116
- treating, 116

## Anger during pregnancy

, 82

## Angry cat exercise

, 80, 190

## Animal milk

. *See* Bottle feeding

## Animal products, inexpensive

, 42

## Ante-natal or ante-partum checkups

.

*See* Prenatal checkups

## Antibiotics

, 464, 470–471

## Antiretrovirals

. *See* ART

## Antiseptic for MVA

, 421

## Anus

- bulging during contractions, 195
- checking baby's, 263
- baby's closed or missing, 263
- illustrated, 27, 376
- testing for torn muscle around, 357

## Anxiety

. *See* Fear; Tension

## Appendicitis

, 114

## Arms, checking baby's

, 262

## ART (Anti-Retroviral Therapy)

, 99, 101, 153, 163, 276, 293, 335, 492–498

## B

## Baby

, 130–144, 240–245, 252–267

*Also see* Heartbeat (baby); Position of the baby; Signs (baby)

ART for, 494

birth defects, 45, 46, 95, 266–267

breaking collar bone, 213

breathing, checking, 241, 254, 262

caring for, during 3rd stage, 240–245

checking after birth, 213, 240–245, 252–267

checking in womb, 130–144

chlamydia and, 324

clearing nose and mouth, 208–209, 213–214

color, 244–245, 266, 279

crowning during 2nd stage, 197

early birth, 83, 88, 94, 221, 292

feeling inside the womb, 87

first hours after birth, 252–267

first weeks after birth, 274–279

general appearance, 253–254

gonorrhoea and, 324

heart sounds, 262

helping breastfeed, 245

HIV and, 101, 276, 494

holding when breastfeeding, 282–283

how it grows in pregnancy, 30

how it moves through the vagina, 197–198

keeping warm and dry, 240, 255

kicking and other movements, 80, 87, 134, 138

large, 254, 258

large in past birth, 94, 115

length, 259

measuring the womb, 90, 130–135

medical help for sick babies, 437

model for teaching about pregnancy, 459, 460

muscle tone, 244

oxygen for, 241

position of, 135–144, 170–171, 190–191, 215–219

reflexes, 244

rescue breathing, 242–243

- shoulders, delivering, 210–213  
 sick or dead in past birth, 95  
 small, 221, 254, 256–257, 292  
 small in past birth, 94  
 weight, 256–258
- Back**  
 checking baby's, 265  
 lower back deformity in mother, 97  
 lying on during labor, avoiding, 162, 200  
 pains, 80, 113–114
- Bacterial vaginosis (BV or gardnerella), 328**
- Bag of waters, 174–177**  
 baby floating in, 30  
 breaking as sign of labor starting, 151  
 breaks early, medical help needed for, 106  
 checking if broken, 174  
 color of waters, 174–175, 208  
 pelvic exam and, 374  
 stool in waters, 174–175, 209, 213  
 time between labor start and breaking of, 175–176  
 tool for breaking, 435  
 too little water, 134  
 too much water, 133
- Baking, sterilizing tools by, 61**
- Barbiturates, 46**
- BCG vaccination, 267**
- Beam scale, homemade, 445–446**
- Beans, 35, 41**
- Bed nets, 98**
- Bedding, 58, 98, 163**
- Beliefs, harmful, 39–40**
- Belly**  
 baby drops lower in, 149  
 checking baby's, 263  
 cleaning after birth, 247  
 cramps in early pregnancy, 79  
 growing larger, 86  
 nausea (morning sickness), 73–74, 86, 110–111  
 pain severe in, 109  
 pain sudden, 79  
 pain, sudden, steady, and severe, 125  
 pain, warning signs versus healthy signs, 113–114  
 pressure to stop bleeding after birth, 237  
 pushing on, avoiding during birth, 205
- Bilirubin, 279**
- Bimanual (2-hand) pelvic exam, 373, 384–387**
- Birth.** See Labor and birth
- Birth box (model for teaching), 461**
- Birth by operation.** See Cesarean surgery
- Birth control.** See Family planning
- Birth control pills, 307–308**
- Birth defects, 266–267**  
 alcohol drinking by mother and, 46  
 causes of, 267  
 checking baby for, 266  
 helping parents of children with, 266–267  
 medicines and, 45  
 in past pregnancies, 95  
 rubella (German measles) and, 45, 95
- Birth of the placenta (stage 3 of labor), 223–245**  
 Also see Labor and birth; Signs (mother in labor, birth, and after)  
 “active management” of, 225  
 baby has breathing problems, 240–241  
 baby not breathing, 241–243  
 bleeding after placenta is born, 236–239  
 bleeding before placenta is born, 226  
 bleeding, dangers of, 224–239  
 caring for the baby, 240–245  
 checking the baby's health, 240–245  
 checking the physical signs of mother, 223  
 checking the placenta and cord, 233–234  
 death of baby and, 243  
 guiding the placenta out by the cord, 228–229  
 helping the mother push, 227–231  
 helping the womb contract after, 224, 236–238  
 if no helper is available, 223  
 medicines for, 224, 225, 228, 231, 233, 237  
 overview, 146, 157  
 piece of placenta left inside womb, 234–235  
 rubbing the womb after, 224, 236  
 shock (signs and treatment), 239  
 signs that the placenta has separated, 226–227  
 taking out the placenta by hand, 230–231  
 torn vagina, 239  
 womb comes out with the placenta, 232–233
- Birth pants (model for teaching), 461**
- Bladder infection, 128–129**  
 caring for, 129  
 fever from, 120  
 labor and, 179  
 pregnancy problems and, 97  
 preventing, 129  
 signs of, 77, 128
- Bleach**  
 disinfecting solution using, 57, 59  
 never mixing with ammonia, 57  
 for sterilizing tools, 59, 64  
 washing floor with, 57
- Bleeding**  
 Also see Blood; Monthly bleeding (menstruation)  
 after abortion or miscarriage, 406, 412–414  
 after birth, 224–239  
 after female genital cutting (circumcision), 368  
 after placenta is born, 236–239  
 bladder of mother full and, 352  
 blood pressure drops during labor and, 180  
 with constant pain, late in pregnancy, 114  
 with cramps during first 6 months, 112  
 detached placenta (abruption) and, 114, 180, 184, 205, 219, 354  
 during labor, 183, 205  
 in early pregnancy, 79  
 episiotomy and, 354  
 first weeks after birth, 270  
 gums, 117  
 heavy, after abortion or miscarriage, 406, 412–414  
 heavy, before placenta is born, 226  
 heavy, in past pregnancies, 95  
 heavy, medical help needed for, 106  
 heavy, preventing after birth, 248  
 high blood pressure and, 122  
 IV for blood loss, 350–351  
 with no pain, 112, 183  
 show (mucus tinged with blood), 150–151  
 spotting, 79, 112  
 swollen veins around genitals and, 76  
 torn vagina, 239  
 twins and, 219, 220, 221  
 from vagina (warning sign), 109, 112, 183  
 warning signs versus healthy signs, 112
- Blindness**  
 genital herpes and, 332  
 preventing in baby, 260–261, 324

**Blood**

*Also see* Bleeding  
 disposing of, 67  
 as food, 42  
 germs in, 49, 50  
 HIV spread and, 99  
 loss, IV for, 350–351  
 preventing infection from, 50, 51  
 transfusion (giving through an IV),  
 436  
 in urine, 128

**Blood blister (hematoma)**

in baby's head, 260  
 in vagina after birth, 248–249

**Blood clot in leg (warning signs),** 81, 273**Blood pressure**

*Also see* High blood pressure  
 checking during labor, 180–182  
 checking during pregnancy,  
 122–124  
 drops during labor, 180  
 equipment, 122  
 goes up during labor, 180–181  
 shock and drop in, 239  
 warning signs, 122, 180–181

**Blood sugar disease.** *See* Diabetes (blood sugar disease)**Blood tests**

for anemia, 116  
 for diabetes, 115  
 lab tests, 434

**Blue color (baby),** 244–245, 266**Blurred vision (warning sign),** 109, 125**Body changes in pregnancy.**

*See* Changes in pregnancy

**Body wastes, disposing of,** 67**Boiling**

gloves, 66  
 sterilizing tools by, 62

**Bones, pelvic.** *See* Pelvis; Pubic bone**Bottle feeding**

*Also see* Breastfeeding  
 breastfeeding hampered by, 286  
 breastfeeding versus, 41  
 dangers of, 276, 281  
 with formula made from animal milk,  
 295  
 with formula, safety and, 294, 295  
 with milk removed from breasts, 286

**Bowels**

*Also see* Stool  
 constipation, 36, 76–77  
 enemas, avoiding during pregnancy,  
 77  
 piles (hemorrhoids), 77

**Brain infection (meningitis) in baby,** 278**Breaking baby's collar bone,** 213**Breaking of waters**

checking if broken, 174  
 color of waters, 174–175  
 early, medical help needed for, 106  
 pelvic exam and, 374  
 as sign of labor starting, 151  
 stool in waters, 174–175  
 time between labor start and,  
 175–176  
 tools at hospitals or medical centers,  
 435

**Breastfeeding, 281–295**

*Also see* Bottle feeding  
 advantages of, 281  
 alternatives to, 294–295  
 antibiotics and, 471  
 breast infection (mastitis), 289  
 cleft lip or cleft palate and, 261  
 colostrum (first milk), 72, 245, 283  
 common difficulties, 286–291  
 during pregnancy, 292  
 early baby and, 292  
 eating during, 283  
 to encourage labor for second twin,  
 220  
 encouraging the baby, 275  
 engorged (swollen) breasts and, 288  
 extra food needed for, 34  
 family planning and, 301, 306, 312  
 fear of not having enough milk,  
 286–287, 306  
 feeding milk that has been removed,  
 286  
 flat or inverted nipples and, 287  
 fortified milks versus, 41  
 gas pains (colic) in baby, 291  
 helping after birth, 252  
 helping the baby, 245  
 to help the womb contract, 236  
 HIV and, 287, 293–294  
 HIV spread and, 99, 287  
 how to breastfeed, 282–283  
 how to hold the baby, 282  
 large baby and, 254, 258  
 medicines and, 45, 292, 463, 471  
 nipples cracked or sore, 290  
 nutrition provided by, 41  
 painful lump (abscess) in breast, 288  
 heating breast milk to kill HIV, 294  
 removing milk from breasts,  
 284–285  
 saving milk, 285  
 sharing breast milk, 286  
 sick mother and, 292  
 small baby and, 254, 257, 292  
 things to avoid during, 45–47  
 thrush (yeast infection), 290  
 twins and, 291  
 weak baby and, 254

when to feed, 282  
 work outside the home and,  
 284–286

**Breasts**

growing larger, 87  
 infection (mastitis), 289  
 leaking, 76  
 painful lump (abscess) in, 288  
 removing milk from, 284–285  
 swollen (engorged), 76, 288

**Breathing (baby)**

checking, 241, 254, 262  
 clearing baby's nose and mouth,  
 208–210  
 not breathing, 241–243  
 rate, checking, 254  
 rescue breathing, 242–243  
 signs of problems, 241, 254, 262

**Breathing (mother)**

difficulty, anemia and, 116  
 fast and deep, 159  
 shortness of breath, 78, 103, 114  
 in stage 1 (opening), 170  
 in stage 2 (pushing), 201

**Breech baby (bottom down), 215–219**

checking for, 137–138  
 complete breech (folded legs), 215,  
 216–218  
 dangers of breech births, 215  
 dangers of turning, 369  
 delivering complete or frank breech,  
 216–218  
 delivering footling breech, 218–219  
 difficulty of childbirth and, 137  
 episiotomy for, 354–355  
 footling breech (feet first), 215,  
 218–219  
 frank breech (straight legs), 215,  
 216–218  
 getting the baby to turn, 142  
 home birth and, 143  
 medical help needed for, 190, 215,  
 218  
 turning, 369–371  
 twins and, 219  
 what to do about, 142–143

**Bulb syringe,** 66, 209, 214**Burning plastic wastes, avoiding,** 68**Burning sensations**

in feet, 117  
 in stomach or between breasts  
 (heartburn), 74–75  
 while urinating, 77, 128  
 in vagina, 77

**Burying wastes,** 67–69, 235**Buttocks down position.** *See* Breech baby (bottom down)**BV (bacterial vaginosis or gardnerella),** 328



- Calcium**, 37–38, 74, 81
- Calculator for due date**, 527
- Calendar for figuring due date**, 88–89
- Cancer**  
of the cervix, 379, 380, 383  
Pap test for, 379, 381–383  
preventive treatment, 383a–383c  
vinegar test for, 379, 380
- Candida**. See Yeast infection
- Cannulas**. See Manual vacuum aspiration (MVA)
- Capsules**. See Medicines
- Caput on baby's head**, 260
- Carbohydrates (main foods)**, 34, 35
- Carbon dioxide**, 383a
- Care in pregnancy**. See Health care in pregnancy
- Cars or transportation**, 10, 106–107, 164, 438
- Castor oil drink for starting labor**, 343
- Catheters**, 249, 352–353
- Causes of health problems**  
finding, 13–15  
root causes, 21–25
- CD4 test**, 335, 492
- Cephalosporins**, 471
- Cervix**  
*Also see* Opening (stage 1 of labor)  
abnormal cells, 379, 380, 383, 383a–383c  
bimanual (2-hand) exam, 384–387  
cancer of, 383  
cryotherapy, 383a–383c  
illustrated, 28  
mucus plugging, 28, 150, 155  
numbing during MVA, 424  
opening (stage 1 of labor), 146, 155–156, 167–193  
Pap test for cancer or pre-cancer, 379, 381–383  
placenta covering (placenta previa), 112, 183, 374  
pushing before fully open, avoiding, 186, 196  
size when ready for birth, 156  
softening of, 155  
speculum exam, 377–379  
vinegar test for cancer or pre-cancer, 379, 380, 383b  
visible at vaginal opening after birth, 249
- Cesarean surgery (birth by operation)**  
dangers of, 436  
described, 96  
HIV and, 436  
need for, 136, 141, 142, 143, 177, 191, 436  
overuse of, 436  
in past birth, 96
- Chalk cravings**, 74
- Chancroid**, 330, 331
- Change of life (menopause)**, 31, 86
- Changes in pregnancy**, 73–83  
discomforts and pains, 76–81  
in eating and digestion, 73–75  
feelings and emotions, 82–83  
how the baby grows, 30  
how women get pregnant, 29  
sexual and reproductive parts, 27–28  
in sleeping, 75
- Checkups**. See Prenatal checkups; Tests
- Chemicals**  
*Also see* Drugs; Medicines  
avoiding during pregnancy or breastfeeding, 47  
infertility and, 31  
for sterilizing equipment, 63–64  
too dangerous to use, 64
- Chicken**, 42
- Children, number of**, 90–91
- Chlamydia**, 50, 323–325
- Chlorine bleach**. See Bleach
- Cholera**, 50
- Chromic gut sutures**, 358
- Cigarettes**. See Tobacco
- Circumcision (female)**  
*See* Female genital cutting (circumcision or FGC)
- Circumcision (male)**, 264
- Clamping the cord**, 214. *Also see* Cutting the cord
- Clap, the (gonorrhea)**, 50, 323–325
- Clay cravings**, 74
- Cleanliness**  
*Also see* Sterilizing equipment  
before and during birth, 153, 168  
cleaning bedding, 58  
cleaning mother after birth, 247  
cleaning the space, 57, 150  
cord stump and, 215  
during pregnancy, 42–43  
first weeks after birth, 269  
for preventing infection, 52  
tooth and mouth care, 43  
underpadding for birth on floor, 58  
washing hands, 53–54, 153, 168
- Cleft lip (harelip) or cleft palate**, 261–262
- Clinics**. See Hospital or medical center
- Clitoris**, 27, 376
- Cloth models for teaching**  
vagina, 452–453  
womb, 450–451, 455–457
- Clot in leg (warning signs)**, 81, 273
- Cocaine**, 46
- Coffee**, 31, 81
- Colic (gas pains)**, 291
- Collar bone, breaking baby's**, 813
- Color (baby)**, 244–245, 266, 279
- Color (mother)**  
dark patches on skin (mask of pregnancy), 79  
legs red, 273  
pale inside of eyelids, fingernails, and gums, 116  
pale, shock and, 239  
purple line between buttocks, 195  
purple spots on skin, 79  
waters, 174–175, 208
- Colostrum (first milk)**, 76, 245, 283
- Combination medicines, avoiding**, 464
- Community**  
*Also see* Family; Partners  
changes to prevent health problems, 23–25  
family planning and, 318–319  
helper for birth, 151  
people who affect a woman's health, 8–9  
preventing unsafe abortions, 415  
rituals and practices honoring pregnancy, 44  
sexually transmitted infections (STIs) and, 337  
sharing what you know with, 4–6  
transport plan for medical help, 10, 106–107, 164, 438  
women's health affected by, 8–9  
working together to save lives, 10
- Complete breech (folded legs)**, 215, 216–218. *Also see* Breech baby (bottom down)
- Condoms**  
for family planning, 301, 302–303  
HIV and, 99, 100, 334  
for sex during pregnancy, 83  
using, 303  
for women, 301, 302, 303
- Confidentiality**, 7, 101
- Constipation**  
defined, 76  
during pregnancy, 76–77  
enemas for, avoiding during pregnancy, 76  
from iron pills, 36  
laxatives or purgatives for, avoiding, 77  
piles (hemorrhoids) and, 77  
preventing or treating, 76
- Contraceptives**, 307–308, 999
- Contraceptive sponge method of family planning**, 317

**Contractions**

*Also see* Cramps (womb); Labor and birth; Pushing (stage 2 of labor)  
cervix opened by, 156  
easing pain of, 169–170, 187–188, 193  
pain between, 184  
practice contractions, 150, 155  
resting between, 161  
signs that stage 2 is near or starting, 195  
in stage 1 of labor, 167  
stronger and more frequent, 149–150  
supporting the mother, 169–170

**Conversation.** *See* Talking

**Convulsions (fits)**

dangers of, 181  
during labor, 181–182  
medicines for, 181–182  
in past pregnancies, 93  
pre-eclampsia and, 20, 93, 125–127, 181–182  
what to do during, 181

**Copper T IUD.** *See* Intrauterine devices (IUDs)

**Copying patterns for models, 447****Cord**

around baby's neck, 209  
baby's pulse in, 139, 177  
breech baby and, 216, 218  
caring for baby's stump, 277  
checking the end of, 234  
coming in front of baby (prolapsed), 176–177, 208, 218, 219, 354  
guiding the placenta out by, 228–229  
how to cut, 214–215  
illustrated, 30  
infection, signs in baby, 277  
model for teaching about pregnancy, 458–459, 460  
pulling on, dangers of, 228  
pulse lacking in, 177  
razor blades for cutting, 65  
signs that the placenta has separated, 227  
stump, keeping clean and dry, 215  
twins and, 220  
when to cut, 157, 214

**Cotrimoxazole, for people with HIV,** 101, 335, 477

**Cracked nipples, 290**

**Cramps in legs, 80–81**

**Cramps (womb)**

*Also see* Contractions  
after cryotherapy, 383c  
bleeding with, during first 6 months, 112  
in early pregnancy, 79  
warning signs, 79, 112, 113

**Cravings for foods, 74**

**Creams.** *See* Medicines

**Cretinism.** *See* Hypothyroidism

**Crowning, 197**

**Crying during pregnancy, 82**

**Cryoprobe, 383a–383c**

**Cryotherapy, 383a–383c**

**C-section.** *See* Cesarean surgery (birth by operation)

**Cutting the cord**

*Also see* Cord  
around baby's neck, 210  
how to cut, 214–215  
razor blades for, 65  
stump, keeping clean and dry, 215  
twins and, 220  
when to cut, 157, 214

**Cutting the opening of the vagina.**

*See* Episiotomy (cutting the vaginal opening)

**D**

**Dalkon Shield IUD, removing, 399**

**D&C, 92.** *Also see* Abortion

**Dark patches on skin, 79**

**Date birth expected.** *See* Due date

**Death of baby**

helping the mother and family, 135, 243  
in past pregnancies, 95, 115  
rubella (German measles) and, 45  
womb growing too slowly and, 134–135

**Deformity**

birth defects, 45, 46, 95, 266–267  
of mother's hips or lower back, 97

**Dehydration**

after birth, 251  
bottle feeding and, 275  
defined, 159  
drinking during labor, 159–160  
helping baby, 275  
if mother cannot drink, 159  
rehydration drink, 159–160  
warning signs (baby), 275  
warning signs (mother), 111, 120, 159, 178

**Delayed labor.** *See* Encouraging labor; Late labor

**Delivering**

*Also see* Birth of the placenta (stage 3 of labor); Labor and birth; Opening (stage 1 of labor); Pushing (stage 2 of labor)  
baby's body and giving baby to mother, 214  
breech baby (complete or frank), 216–218  
breech baby (footling), 218–219  
shoulders of baby, 211–213  
twins, 219–221

**Dental care, 43**

**Depression, 82, 95, 121, 274**

**Detached placenta (abruption)**

during pregnancy, 114  
episiotomy and, 354–355  
home birth and, 205  
medical help needed for, 114, 184, 205  
pre-eclampsia and, 180  
pushing on mother's belly and, 205  
signs of, 114, 184, 205  
twins and, 219

**Diabetes (blood sugar disease)**

helping a woman with, 115  
in a baby, 254, 258  
infertility and, 31  
in past pregnancies, 93  
pregnancy problems and, 97  
test for, 115  
warning signs, 93, 115, 133

**Diaphragms, 301, 304****Diarrhea (loose stool)**

before labor, 150  
bottle feeding and, 275  
from castor oil drink, 343  
germs and, 50  
vomiting with, 111

**Diet.** *See* Bottle feeding; Breastfeeding; Eating and food

**Dilation and curettage, 92.** *Also see* Abortion

**Dilation of cervix.** *See* Opening (stage 1 of labor)

**Dirt.** *See* Cleanliness

**Dirt cravings, 74**

**Disabilities**

affecting thinking or the brain, 45, 46  
alcohol drinking by mother and, 46  
birth defects, 45, 46, 95, 266–267  
helping parents of children with, 266–267  
medicines and, 45  
rubella (German measles) and, 45

**Disabled Village Children, 267**

**Discharge (wetness from vagina)**

during pregnancy, 77  
germs in, 50  
normal versus infected, 323  
sexually transmitted infections (STIs),  
323–328  
show versus, 151  
yeast infection, 101, 115, 326–327

**Disease.** *See* Illness; Infections; *specific diseases*

**Disinfectants,** 57, 59, 64

**Disposing of wastes safely,** 67–69

**Dizziness**

late in pregnancy, 81  
shock and, 239  
as warning sign, 81, 109, 116

**Doctors**

*Also see* Hospital or medical center  
baby taken from mother by, 240  
bag of waters broken by, 435  
cesarean surgery overused by, 436  
checking baby with 2-vessel cord,  
234  
nutritional advice from, 250  
unnecessary practices by, 433, 441  
working with, 438–440

**Dopplers,** 434

**Double vision,** 125

**Dreams, strange,** 82

**Drinking alcohol**

avoiding during pregnancy or  
breastfeeding, 46  
infertility and, 31  
small baby and, 134

**Drinking liquids.** *See* Water and liquids

**Drip, the (gonorrhea),** 50, 323–325

**Drops.** *See* Medicines

**Drug resistance,** 464

**Drugs**

*Also see* Medicines  
avoiding during pregnancy or  
breastfeeding, 46  
small baby and, 134

**Due date**

*Also see* Early birth  
delayed labor, 88  
predicting, 88–89, 130, 133  
tool for calculating, 527,

**Duration of pregnancy.** *See* Length of pregnancy

**E****Early birth,** 221

*Also see* Small baby  
breastfeeding and, 292  
medical help needed for, 221  
more than 5 weeks early, 221  
normal and safe range, 88  
not starting after breaking of waters,  
176  
in past pregnancies, 94  
sex during pregnancy and, 83  
twins and, 219

**Early end to pregnancy.** *See* Abortion;  
Miscarriage

**Ears**

checking baby's, 260  
cleft lip or cleft palate and infections,  
262

**Eating and food,** 33–42, 73–75

*Also see* Bottle feeding;  
Breastfeeding; Water and  
liquids  
after birth, 250  
avoiding foods, dangers of, 40  
bladder infection and, 129  
breastfeeding and, 283  
calcium-containing foods, 38  
changes during pregnancy, 73–75  
cooking food, 35, 36, 39, 42  
cravings for foods, 74  
during labor, 160  
eating enough, 33, 34, 39  
eating well with little money, 41–42  
feeding men first, 9  
first weeks after birth, 269  
folic acid-containing foods, 37  
girls' needs equal to boys', 22, 39  
glow foods (vitamins and minerals),  
34, 35, 36–39  
go foods (fats, oils, and sugar), 34, 35  
grow foods (proteins), 34, 35, 250  
for a healthy pregnancy, 33–42  
high blood pressure and, 124–125  
ideas affecting health, 39–40  
iodine-containing foods, 38  
iron-containing foods, 36  
main foods (carbohydrates), 34, 35  
nausea and food dislikes, 73–74  
packaged and processed foods, 39  
poor nutrition, 33, 117, 134  
talking to women about food, 34–39  
tooth protection and diet, 43  
variety of foods, 33, 34–35, 40  
vitamin A-containing foods, 39  
vitamins and minerals to eat every  
day, 36–39  
womb growing too slowly and, 134  
women's needs equal to men's, 9

**Eclampsia.** *See* Convulsions (fits)

**Edema.** *See* Swelling

**Education.** *See* Learning by midwives;  
Teaching

**Egg (human),** 29

**Eggs (fowl),** 42

**Emergencies**

*Also see* Hospital or medical center;  
Medical help; Signs (baby);  
Signs (mother during  
pregnancy); Signs (mother in  
labor, birth, and after)  
from abortion or miscarriage,  
406–414  
being ready for, in labor and birth,  
163–164  
contraception for, 316  
from female genital cutting  
(circumcision or FGC), 368–369  
tools at hospitals or medical centers,  
435–436  
working with hospitals and doctors,  
438–441

**Emotions and feelings**

*Also see specific feelings*  
after birth, giving support for, 274  
anger or irritability, 82  
changes during pregnancy, 82–83  
death of baby and, 135, 243  
depression, 82, 95, 121, 274  
difficulty sleeping and, 75  
menopause and, 31  
mother not interested in her baby,  
251  
pelvic exam and, 375  
signs of labor starting soon, 150  
support after early end to  
pregnancy, 403–404  
worry and fear, 82

**Emptying the womb.** *See* Manual  
vacuum aspiration (MVA)

**Encouraging labor,** 191–193, 341–344

*Also see* Long labor  
avoiding, if medical help needed,  
191  
castor oil drink for, 343  
dangers of methods for, 341  
enemas for, 342–343  
medicines for, 175, 191, 341  
plant medicines for, 344  
second baby of twins and, 220, 221  
signs of need for, 341  
things to avoid, 191, 205  
time after breaking of waters and,  
175–176

**Ending pregnancy.** *See* Abortion;  
Miscarriage

**Enemas (giving rectal fluids)**

avoiding during pregnancy, 77  
 dangers of, 342  
 for starting labor, 342–343  
 uses for, 342

**Energy**

*Also see* Anemia; Weakness  
 foods for, 35  
 sleepiness during pregnancy, 75, 86  
 tiredness, 93, 116, 159

**Engorged breasts**, 76, 288**Enjoyment**

of pregnancy, 44  
 working for, 11

**Episiotomy (cutting the vaginal opening)**, 354–355

circumcision scar and, 206, 354  
 dangers of, 354  
 how to do, 354–355  
 sewing after, 358–366  
 times when necessary, 354

**Equipment**. *See* Sterilizing equipment; Tools and supplies**Ergometrine**

dangers if placenta not born yet, 224  
 to empty the womb after  
 incomplete abortion, 408  
 to help the womb contract, 224  
 to stop bleeding from the womb,  
 231, 232, 237

**Estrogen, women who should not use**, 306**Ethanol**. *See* Alcohol (medical)**Ethyl alcohol**

alcohol and glycerine hand cleaner,  
 54  
 soaking thermometers in, 65

**Examinations**. *See* Prenatal checkups**Exercise during pregnancy**, 43–44**Exercises**

angry cat, 80  
 squeezing (Kegels), 44

**Eyes**

blurred vision (mother), 109, 125  
 checking baby's, 260  
 chlamydia or gonorrhea and (baby),  
 324  
 color (baby), 279  
 double vision (mother), 125  
 genital herpes and, 332  
 preventing blindness (baby),  
 260–261, 324  
 sunken (mother), 159

**F****Face**

baby coming face first, 190  
 swollen in mother (warning sign), 76,  
 81, 126, 127

**Factory chemicals**, 47**Fainting or faintness**

after birth, 226  
 during pregnancy, 116  
 shock and, 239

**Family**

*Also see* Community; Partners  
 abusive partners, 105  
 answering questions of, 267  
 feeding first, 39  
 food advice from, 250  
 helper for birth, 151  
 as people who affect a woman's  
 health, 8–9  
 permission for care from, 107  
 support from, 105–106  
 time alone after birth, 252  
 women's health affected by, 8–9

**Family planning**

*Also see specific methods*  
 choosing a method, 300–317  
 community and, 318–319  
 emergency contraception, 316  
 helping women have more choices,  
 299  
 manual vacuum aspiration (MVA)  
 and, 431  
 methods that do not work, 318  
 reasons for, 299

**Fast heartbeat (baby)**, 173, 184, 243, 255**Fast pulse (mother)**

problems indicated by, 121, 178  
 as sign of anemia, 116  
 as sign of dehydration, 159  
 as sign of infection, 251  
 as sign of shock, 239

**Fat mother**, 115, 118**Fats (go foods)**, 34, 35**FGC**. *See* Female genital cutting (circumcision or FGC)**Fear**

during pregnancy, 82  
 of not having enough milk, 286–287  
 pelvic exam and, 375

**Feeding tube**, 437**Feelings**. *See* Emotions and feelings; *specific feelings***Feet**

burning sensations or numbness,  
 117  
 checking baby's, 265  
 swollen, 76

**Female genital cutting (circumcision or FGC)**

caring for woman after, 367–369  
 cutting the scar, 206, 354–355, 367  
 dangers of, 367  
 emergency care for, 368–369  
 repairing the cut, 367  
 warning signs, 368

**Fertility awareness (natural family planning)**, 312–315

counting days method, 314–315  
 mucus method, 313  
 other methods compared to, 301  
 overview, 312–313

**Fetoscope**, 139, 434**Fever**

causes of, 120  
 checking the baby's temperature,  
 255–256  
 checking the mother's temperature,  
 119, 178–179, 251  
 dehydration and, 120, 159, 178  
 during labor, 178–179  
 hot feeling during pregnancy, 78  
 in past pregnancies, 95  
 pregnancy problems and, 97  
 treating, 120  
 as warning sign (mother), 109, 119,  
 178

**Fibroids, IUD dangers and**, 390**Finger method for measuring the womb**, 131–132**First few hours after birth**, 247–267

*Also see* First weeks after birth  
 answering family's questions, 267  
 breathing rate of baby, 254  
 checking body of baby, 256–267  
 checking mother's genitals for tears  
 and problems, 248–249  
 checking physical signs of mother,  
 247  
 cleaning mother's genitals, belly, and  
 legs, 247  
 cleaning up, 267  
 examining the baby (overview),  
 252–253  
 general appearance of baby,  
 253–254  
 giving BCG immunizations (baby),  
 267  
 heartbeat of baby, 255  
 helping mother to eat and drink,  
 250  
 helping mother to urinate, 249  
 helping with breastfeeding, 252  
 overview, 157  
 preventing heavy bleeding (mother),  
 248  
 recording baby's signs, 253

temperature of baby, 255–256  
 watching mother for infection, 251  
 watching mother's feelings about her baby, 251  
 what to do for the baby, 252–267  
 what to do for the mother, 246–252

**First weeks after birth**, 269–279  
*Also see* First few hours after birth  
 baby not gaining weight or growing normally, 276  
 baby not urinating or passing stool in first day, 275  
 caring for the baby's cord, 277  
 color of baby's skin and eyes, 279  
 dehydration (baby), 275  
 giving emotional support, 274  
 helping mother care for herself, 269  
 leaking urine or stool (mother), 273  
 legs red, hard, swollen, or painful (mother), 273  
 signs of infection (baby), 277–279  
 vomit "shoots" out (baby), 276  
 what to do for the baby, 274–279  
 what to do for the mother, 269–274  
 womb and bleeding, watching mother's, 270  
 womb infection, signs of, 271

**Fish**, 35, 42

**Fistula (hole in the vagina)**  
 leaking urine or stool and, 273  
 long labor and, 186  
 in past pregnancies, 94  
 preventing, 22, 273

**Fits**. *See* Convulsions (fits)

**Flat nipples**, 287

**Floor**  
 underpadding for birth on, 58  
 washing, 57

**Fluids**. *See* Water and liquids

**Folding scale, homemade**, 445–446

**Folic acid (folate)**, 37

**Folk medicine**, 17

**Fontanels (soft spots in baby's head)**, 259

**Food**. *See* Bottle feeding; Breastfeeding; Eating and food

**Foot**. *See* Feet

**Footling breech (feet first)**, 215, 218–219. *Also see* Breech baby (bottom down)

**Forceps**, 142, 435

**Foreskin**. *See* Circumcision (male)

**Forgetfulness during pregnancy**, 83

**Formaldehyde**, 64

**Formula**. *See* Bottle feeding

**Frank breech (straight legs)**, 215, 216–218. *Also see* Breech baby (bottom down)

**Friends**. *See* Community

**Fruits**, 35, 42  
**Fumes**, 47  
**Fungus**. *See* Yeast infection

## G

**Garbage dumps**, 69

**Gardnerella (BV or bacterial vaginosis)**, 328

**Gas pains (colic)**, 291

**Generic names of medicines**, 467

**Genital herpes**, 331–332

**Genitals**  
*Also see* Pelvic exam; Sexually transmitted infections (STIs); Vagina  
 bulging during contractions, 195  
 checking baby's, 263–264  
 checking mother's after birth, 248–249  
 cleaning mother's after birth, 247  
 illustrated, 27, 376  
 itching, 77, 326, 327, 328  
 swollen veins around, 76  
 torn during birth, 248

**Genital ulcers (sore on genitals)**, 329–333  
 avoiding sex if present, 329  
 chancroid, 330, 331  
 genital herpes, 331–332  
 HPV (genital warts), 333, 380  
 syphilis, 329–330

**Genital warts (HPV)**, 333, 380

**German measles (rubella)**, 45, 95

**Germ**  
 defined, 49  
 how they get into the body, 50  
 infection caused by, 49–51  
 keeping away, 52–56, 175  
 sterilization and, 60

**Getting up and down during pregnancy**, 78

**Girls' need for food**, 39

**Gloves**  
 disposing of, 68  
 how to put on sterile gloves, 55  
 plastic bags as, 54  
 for preventing infection, 51  
 reusing, 66  
 sterile packets of, 55, 65  
 sterile, using, 54–55  
 sterilizing, 66

**Glow foods**, 34, 35, 36–39. *Also see* Minerals; Vitamins

**Glutaraldehydes**, 64

**Glycerine and alcohol hand cleaner**, 54

**Go foods (fats, oils, and sugar)**, 34, 35

**Goiter**, 38, 117

**Gonorrhea (gono)**, 50, 323–325

**Gourd model for womb**, 454

**Grains**, 35, 42

**Greed and medicine**, 19

**Grow foods (proteins)**, 34, 35, 250

**Guarding the labor**, 158

**Guiding the labor**, 159–163

**Gums**

pale, 116  
 sore or bleeding, 117

## H

**Hands**

*Also see* Touching inside the vagina  
 checking baby's, 262  
 swollen in mother (warning sign), 76, 81, 126, 127  
 washing, 53–54, 153, 168

**Hard stools**. *See* Constipation

**Harelip (cleft lip)**, 261–262

**Harmful diet beliefs**, 39–40

**Headaches**

during pregnancy, 81  
 migraines, 81  
 as warning sign, 81, 109, 125

**Head of baby**

*Also see* Breech baby (bottom down)  
 beginning to show in birth, 196–197  
 caputs and hematomas, 260  
 checking after birth, 259–260  
 clearing nose and mouth, 208–210  
 finding in pregnant mother, 137–138

to one side in womb (asynclitic), 204  
 shape, suture lines, and fontanels, 259

slowing the birth of, 207–208

**Head up position**. *See* Breech baby (bottom down)

**Health care in pregnancy**, 33–47

*Also see* Prenatal checkups  
 cleanliness, 42–43  
 eating well, 33–42  
 exercise, 43–44  
 illness during pregnancy, 97–101  
 importance of, 70  
 pregnancy health history, 85–107

prenatal checkups, 108–145

preventing infection, 49–69

purposes of, 70

record of prenatal care, 145

sleep, rest, and relaxation, 44

things to avoid, 45–47

warning signs (medical help needed), 106, 109

woman's body in pregnancy, 27–30, 73–83

for women with HIV, 101, 335



- Health history**, 85–107  
 age, 90  
 health problems at present, 97–101  
 medicines she is taking, 103  
 miscarriages or abortions, 91–92  
 months pregnant and due date, 88–90  
 number of previous babies, 90–91  
 other things affecting pregnancy and birth, 104–107  
 overview, 85  
 past problems with pregnancy or birth, 93–96  
 problems with medicines, 103  
 signs of pregnancy, 86–87  
 tetanus vaccinations, 101–102
- Health workers.** *See* Doctors; Midwives
- Heartbeat (baby)**, 139–141, 172–173, 243  
 checking after birth, 243, 255  
 checking during labor, 172–173  
 checking speed of, 141  
 equipment for listening to, 139  
 fast, 173, 184, 243, 255  
 finding, 139  
 finding baby's position by, 140, 172  
 listening to, 139–141, 172  
 listening to heart sounds, 262  
 missing (molar pregnancy sign), 134  
 pulse in cord, 139, 177  
 quiet, 141  
 as sign of pregnancy, 87  
 slow, 141, 172–173, 177, 184, 208, 243, 255  
 stopped, 134  
 swishy sound, 139  
 twins, 143–144  
 warning signs versus healthy signs, 141, 172–173
- Heartbeat (mother).** *See* Pulse (mother)
- Heartburn**, 74–75
- Heart (meat)**, 42
- Heart monitors**, 437
- Heart problems**  
*Also see* High blood pressure  
 pregnancy problems and, 97  
 signs of, 78
- Heat.** *See* Fever; Temperature
- Hee breathing**, 170
- Helper for birth**, 151, 223
- Helping Children Who Are Blind**, 267
- Helping Children Who Are Deaf**, 267
- Helping Health Workers Learn**, 5, 41
- Hematoma (blood blister)**  
 in baby's head, 260  
 in vagina after birth, 248–249
- Hemorrhage.** *See* Bleeding
- Hemorrhoids (piles)**, 77
- Hepatitis**, 336  
 HIV and, 492  
 immunization for hepatitis B, 267  
 pregnancy problems and, 97, 336  
 signs of hepatitis B, 336  
 stopping spread of, 50, 51  
 treating hepatitis B, 336
- Herbal supplements in health history**, 103
- Herbicides**, 47
- Heroin**, 46
- Herpes, genital**, 331–332
- High blood pressure**  
 bleeding and, 231  
 caring for, 124–125  
 during labor, 180–181  
 family planning and, 306  
 late in pregnancy, with headaches, 81  
 in past pregnancies, 93  
 pre-eclampsia and, 125, 126, 180–182  
 pregnancy problems and, 81, 97  
 protein in the urine and, 125, 126, 180  
 as warning sign, 122, 180  
 womb growing too slowly and, 134
- High Level Disinfection (HLD)**, 59. *Also see* Sterilizing equipment
- Hips**  
 checking baby's, 264–265  
 deformity in mother, 97  
 dislocated (baby), 265
- HIV**, 99–101, 334–335  
*Also see* Sexually transmitted infections (STIs)  
 AIDS, 99  
 breastfeeding and, 286, 293–294  
 care for pregnant women with, 101  
 CD4 test, 335, 492  
 cesarean surgery and, 436  
 family planning methods and, 300–301  
 germs and, 50, 51  
 helping to stop, 100  
 how it is spread, 99–100, 286  
 instrument birth and, 435  
 medicines for, 101, 335, 492–498  
 pregnancy and, 335  
 pregnancy problems and, 97, 101  
 preventing after accidental exposure or rape, 493  
 preventing mother to child transmission of, 495  
 protecting against, 99–101, 334  
 signs of, 334  
 spermicides and, 305  
 tests for, 99, 100, 334
- HLD (High Level Disinfection)**, 59. *Also see* Sterilizing equipment
- Homemade equipment**, 443–446  
 due date calculator, 527  
 scales, 445–446  
 stethoscopes, 445  
 timers, 443–444
- Homemade sponge method for family planning**, 317
- Homemade teaching materials**  
 basic methods for making, 447  
 model of birth, 461  
 model of pelvis, 448–449  
 model of pregnancy, 454–460  
 model of vagina, 452–453  
 model of womb, 450–451
- Hookworm, anemia caused by**, 37
- Hormonal methods for family planning**, 305–310  
 birth control pills, 307–308  
 other methods compared to, 301  
 overview, 305–306  
 side effects, 306  
 women who should not use, 306
- Hospital or medical center**  
 access to, 437  
 anemia and birth in, 116  
 baby taken from mother in, 240  
 benefits and risks of, 16–17  
 breech baby and, 142  
 cleaning, 57, 58  
 distance from care, 104  
 infection danger and, 52  
 lab tests, 434  
 medicines from, 434  
 midwives at, 440–441  
 for pre-eclampsia treatment, 126, 127  
 sonograms, dopplers, and X-rays at, 434  
 tools for helping sick babies, 437  
 tools for labor and birth emergencies, 435–436  
 transfusion at, 436  
 transport plan for getting there, 10, 106–107, 164, 438  
 for twins' birth, 144  
 types of help provided by, 433–437  
 unnecessary practices and, 433, 441
- House conditions**, 104
- Household bleach.** *See* Bleach
- HPV (Human Papilloma Virus)**, 333, 380  
 and cancer of the cervix, 380  
 genital warts, 333, 380  
 test for, 380, 383
- Human Immune Deficiency Virus.** *See* HIV/AIDS
- Human Papilloma Virus.** *See* HPV
- Hurrying labor.** *See* Encouraging labor
- Husband.** *See* Partners

**Hydrogen peroxide**

- for sterilizing tools, 64
- washing floor with, 57

**Hypodermic syringes.** See Injections;  
Needles (hypodermic)

**Hypothyroidism,** 38, 117

**I****Ideas about food, health and, 39–40****Illness**

- Also see Infections; Signs (baby);  
Signs (mother during pregnancy); Signs (mother in labor, birth, and after); *specific illnesses*
- breastfeeding by sick mother, 292
- keeping away from, during pregnancy, 45
- keeping sick people away from births, 50–51
- medical help needed for, 97
- medicines listed by, 472
- pregnancy health history, 97–101

**Immunizations.** See Vaccinations

**Implants for family planning,** 309–310

**Incomplete abortion,** 407–408, 417, 419

**Incubator,** 437

**Indigestion.** See Stomach problems

**Inducing labor.** See Encouraging labor

**Infections**

- Also see Sexually transmitted infections (STIs)
- after abortion or miscarriage, 406, 409–411, 419
- after birth, 251
- in baby, 255, 256, 277–279
- bacterial vaginosis (BV) or gardnerella, 328
- basic rules for preventing, 52
- bladder, 77, 97, 120, 128–129, 179
- breast (mastitis), 289
- chancroid, 330, 331
- chlamydia, 50, 323–325
- during labor, 178–179
- from female genital cutting, 368–369
- fever from, 120
- germs and, 49–51
- gonorrhea, 50, 323–325
- hepatitis, 336
- herpes, genital, 331–332
- HIV and, 101
- HPV (Human Papilloma Virus), 333, 379, 380, 383
- IUD dangers for, 49, 390, 399
- kidney, 97, 128–129, 179
- labor not starting and signs of, 176

- medical help needed for, 106
- in past pregnancies, 95
- pregnancy problems and, 97
- preventing, 42, 49–69
- preventing, for people with HIV, 101, 335, 478
- rescue breathing and, 243
- syphilis, 329–330
- thrush (yeast infection), 290
- trichomonas (trich), 326
- urethra, 128, 129
- vaginal, 272
- womb, 120, 179, 185, 271, 399
- yeast, 101, 115, 290, 326–327

**Infertility,** 30–31

**Injectable contraceptives,** 309

**Injections,** 345–349

- Also see Medicines; Needles (hypodermic); Vaccinations
- allergic reactions to, 345
- dangers of, 345
- drawing up the medicine, 346–348
- how to give, 346–349
- infection danger and, 50, 51, 56, 345
- numbing torn area before sewing, 360–361
- numb the cervix during MVA, 424
- times when helpful or necessary, 345
- using ampules of medicine, 346, 347
- using liquid in a bottle, 346, 347
- using only when necessary, 344
- using powder in a bottle, 346, 348
- vitamin, 42
- where to inject, 348

**Injury inside the body (internal injury),** 413

**Insomnia,** 75

**Instrument birth,** 435–436

**Instruments.** See Sterilizing equipment;  
Tools and supplies

**Intrauterine devices (IUDs),** 389–399

- advantages and disadvantages of, 390
- after inserting, checking, 398–399
- before inserting, explaining about, 392
- before inserting, sterilizing tools, 392
- before inserting, things to check, 391
- before inserting, things to know, 389
- Dalkon Shield*, removing, 399
- dangers for some women, 390
- described, 389
- disadvantages and risks of, 311
- for emergency contraception, 316
- for family planning, 301, 310–311
- helping a woman decide about, 390–391
- infection from, 49, 390, 399

- inserting, 392–398
- loading the *Copper T* IUD, 393–394
- removing, 399
- tools for inserting, 392
- warning signs, 311

**Intravenous solution (IV),** 350–351

**Inverted nipples,** 287

**Iodine,** 38, 117

**Iron,** 36, 74, 116

**Irritability during pregnancy,** 82

**Isopropyl alcohol**

- alcohol and glycerine hand cleaner, 54
- soaking thermometers in, 65
- for sterilizing tools, 64
- washing floor with, 57

**Itching genitals,** 77, 326, 327, 328

**IUDs.** See Intrauterine devices (IUDs)

**IV (intravenous solution),** 350–351

**J**

**Jaundice signs in baby,** 266, 279

**Joint aches and pains,** 79, 81

**Judgment, avoiding,** 6

**K**

**Kegels (squeezing exercise),** 44

**Kicking by baby**

- months pregnant and, 87
- painful, 80
- position of baby and, 138
- as sign of pregnancy, 87
- stopped, 80, 134

**Kidney infection,** 128–129

- labor and, 179
- pregnancy problems and, 97
- signs of, 128
- treating, 129

**Kidney (meat),** 42

**Knots**

- 4-layer, 364
- square, 214

**L**

**Labor and birth**

- Also see Contractions; Encouraging labor; First few hours after birth; First weeks after birth; *specific stages of labor*
- baby does not fit through pelvis, 189, 204
- baby not born after 1 or 2 hours of pushing, 203–205
- baby stuck at shoulders, 210–212
- basic pattern, 146
- bladder of mother full and, 203, 352
- bleeding during, 183, 205

caring for the mother during labor, 157–163, 169–170, 200–202

cesarean surgery (birth by operation), 96

changing bedding under mother, 163

changing position every hour in labor, 162

clearing baby's nose and mouth, 208–209, 213–214

cord around baby's neck, 209

dead baby and, 135, 243

delivering baby's body and giving baby to mother, 212

delivering baby's shoulders, 210–212

drinking during labor, 159–160

early birth, 83, 88, 94, 221, 292

eating during labor, 160

first few hours after birth, 157, 247–267

guarding the labor, 158

guiding the labor, 159–163

helper for, 151

helping the mother relax, 169–170

home methods for starting labor, 341–344

keeping sick people away, 50–51

late, 88

long labor, 91, 94, 186–191

not lying flat on back, 162, 200

overview, 155–157

pain, easing, 169–170, 187–188, 193

in past pregnancies, 94

pelvic exam and, 374

preventing problems, 163

record keeping, 164–165, 170

resting between contractions, 161

signs of labor starting soon, 149–151

signs of stage 2 near or starting, 195

slowing the birth of the head, 207–208

speed of birth, watching, 202–205

stage 1 (opening), 146, 155–156, 167–193

stage 2 (pushing), 146, 156, 195–221

stage 3 (birth of the placenta), 146, 157, 223–245

supplies to have, 152–153

supporting labor, 158, 169–170, 200–202

swollen veins around genitals and, 76

transport plan for medical help, 10, 106–107, 164, 438

urinating during labor, 161

vaginal exams during, 186, 339–340

warning signs (medical help needed), 147, 163, 204–205

when to go to birth, 151

**Labsticks**, 126**Lab tests**, 379, 380, 434**Large baby**, 258

medical help needed for, 258

in past pregnancies, 94, 115

tired, weak, or sick, 254, 258

**Late labor**

*Also see* Encouraging labor described, 167

long labor and, 189

normal and safe range, 88

**Laughter during pregnancy**, 82**Laxatives, avoiding**, 77**Leafy vegetables**, 36, 37, 39, 42**Leaking breasts**, 76**Learning by midwives**

about medicines, 466

before doing dangerous procedures, 21

at hospitals, 440, 441

as lifelong process, 1–2

**Legal concerns**

for inserting IUDs, 389

for manual vacuum aspiration (MVA), 417

**Legs**

checking baby's, 264–265

cleaning mother's after birth, 247

clot, warning signs, 273

constant pain in one leg, 81, 113

cramps, 80–81

pain in, 113–114

red, hard, swollen, or painful (mother), 273

relaxing when pushing, 201

**Legumes**, 35, 41**Length of labor.** *See* Encouraging labor; Long labor**Length of pregnancy**

due date prediction, 88–89, 130, 133, 527

early birth, 83, 88, 94, 221, 292

figuring months or weeks pregnant, 88, 89, 90

late labor, 167, 189

normal duration, 88

**Lentils**, 35, 41**Ligaments, pain in**, 79**Light color.** *See* Pale color; White color**Light labor**, 167, 188**Limits, knowing yours**, 20–21**Lips**

cleft (harelip) in baby, 261–262

dry (mother), 159

**Liquids.** *See* Water and liquids**Listening in pregnancy care**, 7, 70**Liver disease.** *See* Hepatitis**Liver (meat)**, 42**Living conditions**, 104**Loading the Copper T IUD**, 393–394**Lockjaw.** *See* Tetanus (lockjaw)**Long labor**, 186–191, 202–205

*Also see* Encouraging labor

active labor, 188

baby does not fit through pelvis, 189, 204

baby in difficult or impossible position, 190–191, 204

baby not born after 1 or 2 hours of pushing, 203–205

bladder of mother full and, 203, 352

exhaustion from, 188–189

fear or tension and, 187–188

late labor, 189

light labor, 188

medical help needed for, 106, 204–205

number of previous babies and, 91

in past pregnancies, 94

position of mother and, 203

problems from, 186

twins and, 220

watching the speed of birth, 202–205

**Loose stool.** *See* Diarrhea (loose stool)**Lugol's iodine**, 38**Lump (abscess) in breast**, 288**Lung problems (baby)**

chlamydia or gonorrhea and, 324

infection (pneumonia), 278

**Lying down**

*Also see* Rest; Sleep

during labor, changing position every hour, 162

during labor, not flat on back, 162, 200

during labor, on side, 200

during pregnancy, 78

**M****Macrolides**, 471**Magnesium for leg cramps**, 81**Main foods (carbohydrates)**, 34, 35**Maize**, 35, 38**Malaria**, 98–99

anemia caused by, 37

infertility and, 31

labor and, 179

miscarriage from, 91

pregnancy problems and, 97

preventing, 98–99

rapid test for, 99

treating, 98–99

**Malnutrition.** *See* Poor nutrition

**Manual vacuum aspiration (MVA),** 417–421  
 before doing, things to know, 417  
 cannula becomes clogged during, 429  
 cannula comes out of womb during, 428  
 checking on woman after, 430–431  
 choosing a cannula, 425  
 family planning and, 431  
 getting ready, 419–421  
 helping the woman be comfortable, 419  
 how to do, 422–428  
 infection danger and, 49  
 injection to numb the cervix, 424  
 overview, 417  
 preventing pain, 421, 424  
 problems that can be caused by, 430  
 problems with, 428–430  
 safety concerns, 92, 417, 418  
 staying healthy after, 431  
 sterilizing tools, 420–421  
 syringe is full during, 429  
 tools and supplies, 419–421  
 uses for, 417  
 vagus nerve and, 426  
 warning signs versus healthy signs after, 430–431  
 when to do, 418–419  
 womb is too big to empty, 430

**Mask of pregnancy,** 79

**Massage between contractions,** 169

**Mastitis (breast infection),** 289

**Materials for teaching.** *See* Models for teaching

**Maternity center.** *See* Hospital or medical center

**Measles, German (rubella),** 45, 95

**Measuring medicines,** 468–469

**Measuring the womb,** 130–135  
 for checking baby's growth, 130  
 cloth tape measure for, 132  
 determining months pregnant, 90, 130  
 for due date prediction, 130, 133  
 feeling the womb, 130–131  
 finger method for, 131–132  
 warning signs, 132–135  
 ways of measuring, 90, 130–132  
 womb growing too fast, 133–134  
 womb growing too slowly, 134–135

**Meat,** 35, 42

**Meconium (baby's first stool)**  
 defined, 174  
 in waters, 174–175, 209, 213

**Medical alcohol.** *See* Alcohol (medical)

**Medical center.** *See* Hospital or medical center

**Medical Mission Sisters,** 63

**Medical pregnancy test,** 87

**Medication abortion,** 92

**Medicines,** 462–497  
*Also see* Injections; Vaccinations  
*specific medicines,* 473–497  
 for allergic reactions, 465  
 allergic reactions to, 103, 465–466  
 amount to take, 464, 466, 468–469  
 antibiotics, 470–471  
 avoiding during pregnancy or breastfeeding, 45, 463  
 for bacterial vaginosis (BV or gardnerella), 328  
 benefits and risks of, 16  
 for birth of the placenta (stage 3), 224, 225, 228, 231, 233, 237  
 for bladder infection, 129  
 breastfeeding and, 292  
 for breast infection (mastitis), 289  
 for chancroid, 331  
 for chlamydia, 324, 325  
 choosing safe and helpful medicine, 19  
 combinations, avoiding, 464  
 dosage, 464, 466, 468–469  
 for emptying womb after incomplete abortion, 408  
 “families” of, 103  
 for fever, 119  
 forms of, 467  
 for genital herpes, 332  
 for gonorrhea, 324, 325  
 greed and, 19  
 health history, 103  
 to help the womb contract, 224  
 hepatitis B and, 336  
 for HIV and AIDS, 101, 335, 492–498  
 from hospitals or medical centers, 434  
 how to take safely, 464–466  
 how to take, 467–470  
 for HPV (genital warts), 333  
 for infection after abortion or miscarriage, 410  
 for kidney infection, 129  
 knowing about, 466  
 listed by problem treated, 472  
 for malaria, 98–99  
 measuring, 468–469  
 for medical abortion, 92  
 for meningitis (brain infection), 279  
 for migraines during pregnancy, 81  
 names of, 467  
 non-Western systems, 17  
 for numbing torn area before sewing, 360  
 for pelvic inflammatory disease (PID), 325

plant medicines for starting labor, 344  
 for pneumonia (lung infection), 279  
 poisoning from, 466  
 for pre-eclampsia, 181–182  
 to prevent infection after birth of the placenta, 231, 233  
 for preventing pain during MVA, 421  
 for sexually transmitted infections, 322  
 side effects, 464–465  
 signs of problems with, 464–466  
 for starting labor, 175, 191  
 to stop bleeding from the womb, 231, 237  
 for syphilis, 330  
 for tetanus (lockjaw), 278, 411  
 traditional medicine, 17, 463  
 for trichomonas (trich), 326  
 types of, 17–19, 470  
 Western medicine, 17, 18  
 when to take, 469–470  
 when to use, 463  
 for womb infection, 179  
 for yeast infection, 327

**Meningitis (brain infection) in baby,** 278

**Menopause (end of monthly bleeding),** 31, 86

**Menstruation.** *See* Monthly bleeding

**Mercury in fish,** 35

**Midwives,** 1–11  
 emotional support after early end to pregnancy, 403–404  
 helping to stop HIV, 100  
 at hospitals, 440–441  
 knowing your limits, 20–21  
 learning lifelong for, 1–2  
 prenatal care and, 70–71  
 protecting yourself from infection, 56  
 sharing what you know, 3–6  
 supplies to have at birth, 152–153  
 unnecessary practices at hospitals and, 433, 441  
 working for the joy of it, 11  
 working to improve women's health, 8–10  
 working with hospitals and doctors, 438–441

**Migraine headaches,** 81

**Milk.** *See* Bottle feeding; Breastfeeding

**Minerals**

- calcium, 37–38, 74, 81
- to eat every day, 36–38
- glow foods, 34, 35
- iodine, 38, 117
- iron, 36, 74, 116
- magnesium, 81
- potassium, 81
- preventing leg cramps, 81

**Miscarriage, 401–415**

- Also see* Manual vacuum aspiration (MVA)
- bleeding too much after, 406, 412–414
- defined, 91
- diabetes and, 93
- emergency care for problems, 406–414
- emotional support after, 403–404
- finding care after, 401–403
- helping a woman after, 401–415
- history of, 91
- HIV and, 101
- infection after, 406, 409–411
- IUD dangers after, 390
- physical care after, 404–405
- preventing, 91
- problems from, 401–405
- shock after, 409, 414
- spotting during cramps and, 79
- tetanus (lockjaw) after, 411
- warning signs, 79, 112
- warning signs versus healthy signs, 404

**Misoprostol**

- to empty womb after
  - incomplete abortion, 408
- to help the placenta come out, 224, 228
- to stop bleeding from the womb, 231, 232, 234, 237

**Models for teaching**

- baby, 459
- basic methods for making, 447
- birth, 461
- cord, 458–459
- pelvis, 448–449
- placenta, 456–457
- pregnancy, 454–460
- sources for other teaching materials, 461
- vagina, 452–453, 454
- womb, 450–451, 454–457

**Molar pregnancy (tumor), 134****Money**

- eating well with little, 41–42
- pregnancy problems and, 104

**Monthly bleeding (menstruation)**

- and tests for cancer, 379

defined, 29

- heavy, IUD dangers and, 390
- menopause and, 31
- predicting due date using, 88–89, 133
- stopped, as sign of pregnancy, 86
- stopped, with birth control pills, 307

**Months pregnant, figuring, 88, 89, 90.**

*Also see* Length of pregnancy

**Moon, figuring due date by, 89****Morning sickness, 73–74, 86, 110–111.**

*Also see* Nausea

**Mouth**

- checking baby's, 261
- cleft lip (harelip) or cleft palate, 261–262

**Mouth care, 43****Movements by baby**

- months pregnant and, 87
- painful kicking, 80
- position of baby and, 138
- as signs of pregnancy, 87
- stopped, 80, 134

**Moving to encourage labor, 192****Mucus**

- plugging cervix, 28, 150, 155
- show (mucus tinged with blood), 150–151

**Mucus bulb (bulb syringe), 66, 209****Mucus method of fertility awareness, 313****Mumps, infertility and, 31****Muscle tone (baby), 244****MVA. See** Manual vacuum aspiration (MVA)**N****Nausea**

- Also see* Vomiting
- causes other than pregnancy, 86
- drinking during labor and, 159
- liquids easier to drink, 159
- morning sickness, 73–74, 86, 110–111
- warning signs versus healthy signs, 110–111

**Neck, checking baby's, 262****Needles for sewing tears, 56, 362, 366****Needles (hypodermic)**

- Also see* Injections
- caring for, 66–67
- disposing of, 68, 69
- drawing up medicine into, 346–348
- HIV spread and, 99, 334
- preparing for injections, 346
- reusable and disposable syringes, 66
- safe handling of, 56
- sterilizing, 66–67
- used, dangers of, 349

**Newborn.** *See* Baby; First few hours after birth; First weeks after birth

**Nightmares, 82****Nipples**

- Also see* Breastfeeding
- during breastfeeding, 282
- flat or inverted, 287
- fluid leaking from, 76
- sore or cracked, 290
- stimulating to encourage labor, 192
- thrush (yeast infection), 290

**Nitrazine papers, 174****Nitrous oxide, 383a****Non-Western systems of medicine, 17****Nose, checking baby's, 261****Numbing**

- cervix during MVA, 424
- torn area before sewing, 360–361

**Numbness of feet, 117**

**Nutrition.** *See* Bottle feeding; Breastfeeding; Eating and food

**Nuts, 35, 38****O****Observing in pregnancy care, 70****Ointments.** *See* Medicines

**Opening of the vagina, enlarging.** *See* Episiotomy (cutting the vaginal opening)

**Opening (stage 1 of labor), 167–193**

- Also see* Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)
- active labor, 167
- baby does not fit through pelvis, 189
- baby's heartbeat, checking, 172–173
- baby's position, checking, 170–171
- baby's position, difficult or impossible, 190–191
- bag of waters, 174–177
- bleeding during labor, 183
- blood pressure, checking mother's, 180–182
- breathing by the mother, 170
- convulsions (fits) during, 181–182
- cord coming in front of baby (prolapsed), 176–177
- helping the mother relax, 169–170
- keeping germs out of vagina, 175
- labor patterns in, 168
- late labor, 167
- light labor, 167
- long labor, 186–191
- overview, 146, 155–156, 167–168
- pain in the womb, 183–185
- parts, 167
- pre-eclampsia and, 180–182
- pulse, checking mother's, 178
- pushing, avoiding, 186, 196

signs for the midwife to check, 170–193

signs of progress, 185

size of fully open cervix, 156

sounds that are helpful, 169

temperature, checking mother's, 178–179

touching the mother, 169

vaginal exam, 186

when you first arrive, 168

**Operation, birth by.** *See* Cesarean surgery (birth by operation)

**Opium,** 46

**Organ meats,** 42

**Ovaries**

bimanual (2-hand) exam, 387

illustrated, 28, 29

**Overweight mother,** 115, 118

**Oxygen, giving to baby,** 241, 437

**Oxygen tent,** 437

**Oxytocin**

in “active management” of stage 3, 225

to help the placenta come out, 224, 228

to help the womb contract, 236

not giving at home, 434

to stop bleeding from the womb, 230, 231, 232, 234

## P

**Packaged foods,** 39

### **Pain**

*Also see* Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

baby kicking, 80

back, 80, 113–114

belly, 79, 109, 113–114, 125

changes and discomforts in pregnancy, 76–81

between contractions, 184

easing during labor, 169–170, 187–188, 193

gas pains (colic) in baby, 291

headaches, 81, 109

joints, 79, 81

legs, 113–114

lower belly, 128

lump (abscess) in breast, 288

in one leg, constant, 81, 113

preventing during MVA, 421, 424

stomach (heartburn), 74–75

unusual pains during pregnancy, 81

on urination, 77, 128

vagina, after birth, 248–249

warning signs versus healthy signs, 113–114

in womb during labor, 183–185

**Pains, labor.** *See* Contractions

**Palate, cleft,** 261–262

### **Pale color**

baby, 244–245, 266

cord white after birth, 157

inside of eyelids, fingernails, and gums, 116

shock and, 239

**Panting,** 170, 201

**Pap test for cancer or pre-cancer,** 379, 381–383

**Paper mache models,** 447

**Paper pelvis model,** 448–449

**Parasites,** 37, 74, 86, 111, 118

### **Partners**

abusive, 105

family planning and, 318

feeding first, 9

helper for birth, 151

for improving women's health, 9

as people who affect a woman's health, 8–9

permission for care from, 107

sex during pregnancy and, 83

support from, 105, 106

women's health affected by, 8–9

**Patterns.** *See* Models for teaching

**Peas,** 35, 41

**Peeing.** *See* Urinating

**Pelvic exam,** 373–387

asking about history before, 375

before the exam, 375–376

bimanual (2-hand) exam, 373, 384–387

making safe, 374–375

Pap test for cancer or pre-cancer, 379, 381–383

parts of, 373

speculum exam, 373, 377–383

tools for, 376

uses for, 373

vinegar test for cancer or pre-cancer, 379, 380, 383b

visual exam, 373, 376

when to do and not to do, 374

### **Pelvic infection**

(pelvic inflammatory disease or PID), 325, 383a

### **Pelvis**

*Also see* Pelvic exam; Pubic bone

baby does not fit through, 189, 204

baby moving down through, 137, 171

baby stuck at shoulders, 211–213

illustrated, 27

model for teaching about, 448–449

not formed well in mother, 96

small, symphysiotomy for, 436

squeezing exercise for (Kegels), 44

**Penicillins,** 471

### **Penis**

*Also see* Sexually transmitted infections (STIs)

baby's, 263, 264

partner's, 29, 83

**People.** *See* Community; Family; Partners

**Pesticides,** 31, 47

**Pharmaceutical drugs.** *See* Medicines

**Physical discomforts during pregnancy,** 76–81

**Physicians.** *See* Doctors; Hospital or medical center

**PID (pelvic inflammatory disease),** 325, 383a

**Piles (hemorrhoids),** 77

**Pills.** *See* Medicines

**“Pill, the,”** 307–308

### **Placenta**

*Also see* Birth of the placenta (stage 3 of labor)

birth of (stage 3 of labor), 146, 157, 223–245

checking after birth, 233–234

covering the cervix (placenta previa), 112, 183, 374

detached (abruption), 114, 180, 184, 205, 219, 354

disposing of, 67, 235

guiding out by the cord, 228–229

heavy bleeding before birth of, 226

helping the mother push it out, 227–231

helping the womb contract after birth of, 224, 231, 236–238

illustrated, 30

model for teaching about, 456–457, 460

piece left inside womb, 234–235

problems in past pregnancies, 95

pushing on mother's belly and, 205

separation from womb after birth, 157

signs of separation from womb, 226–227

taking out by hand, 230–231

womb comes out with, 232–233

**Placenta previa,** 112, 183, 374

**Plant medicines for starting labor,** 344

**Plastic bags as gloves,** 54

**Plastic waste, safe disposal of,** 68

**Pneumonia (lung infection) in baby,** 278

**Poisoning from medicine,** 466

**Poisonous chemicals,** 47

**Polividone iodine,** 38

**Poor nutrition,** 33, 117, 134

- Position of the baby**, 135–144,  
170–171, 190–191, 215–219  
breech (bottom down), 137, 138,  
142–143, 190, 215–219,  
369–371  
checking early in labor, 170–171  
difficult or impossible position,  
190–191, 204  
face first or forehead first, 190, 204  
facing back, 136, 171  
facing stomach (posterior), 136, 171,  
190, 204  
feeling the mother's belly, 135–138  
finding by listening to heartbeat, 140  
finding the head, 137–138  
head to one side (asynclitic), 204  
heartbeat of baby and, 139–141  
kicking or other movements and,  
138  
medical help needed and, 190–191  
moving down through pelvis, 171  
recording, 140  
sideways, 143, 191, 219, 220–221,  
369, 371  
turning a breech or sideways baby,  
369–371  
twins and, 219, 220–221  
vertical (up and down), 136  
warning signs versus healthy signs,  
135
- Position of the mother during birth**  
baby stuck at shoulders and, 212  
changing every hour, 162  
delivering baby's shoulders and, 211  
good for pushing, 200  
letting her choose, 200  
long labor and, 203  
not lying flat on back, 162, 200
- Posters, making from slides**, 447
- Potassium for leg cramps**, 81
- Poverty**. *See* Money
- Practice contractions**, 150, 155
- Pre-cancer**, 379–380
- Pre-eclampsia**  
caring for, 127  
checking for, 126–127, 180  
convulsions (fits) from, 93, 126,  
181–182  
during labor, 180–182  
medical help needed for, 106, 125,  
126, 127, 180–181  
in past pregnancies, 93, 97  
signs of, 76, 81, 122, 125–126, 180
- Pregnancy**  
*Also see* Abortion; Family planning;  
Health care in pregnancy;  
Miscarriage; Prenatal checkups  
age and, 90  
antibiotics and, 471  
breastfeeding during, 292  
caring for body during, 42–44  
changes and discomforts, 76–81  
distance from care and, 104  
due date, 88–89, 130, 133, 527  
eating and digestion changes in,  
73–75  
eating well, 33–42  
family support during, 105–107  
feelings and emotions in, 82–83  
figuring months or weeks pregnant,  
88, 89, 90  
harmful diet beliefs, 39–40  
health history, 85–107  
hepatitis B and, 336  
herpes and, 332  
HIV and, 335  
how the baby grows, 30  
how women get pregnant, 29  
illness during, 97–101  
living conditions and, 104, 104  
mask of, 79  
medicines and, 45, 103, 463, 471  
menopause and, 31  
model for teaching about, 454–460  
molar (tumor), 134  
money and, 104  
number of previous babies and,  
90–91  
problems with medicines and, 103  
problems with past pregnancies or  
births, 93–97  
sex during, 83  
sexual and reproductive parts, 27–28  
signs of, 86–87  
sleeping changes in, 75  
syphilis and, 330  
tetanus vaccination and, 101–102  
things to avoid during, 45–47  
transport plan for medical help, 10,  
106–107, 164, 438  
woman's body in, 27–30, 73–83  
work and, 105
- Pregnancy health history**. *See* Health  
history
- Premature birth**. *See* Early birth
- Prenatal care**. *See* Health care in  
pregnancy
- Prenatal checkups**, 109–145  
*Also see* Signs (baby); Signs (mother  
during pregnancy)  
after the checkup, 144  
checking the baby, 130–144  
checking the mother's body,  
116–129  
importance of, 70–71  
pregnancy health history, 85–107  
record of prenatal care, 145  
scheduling, 144  
talking with the mother, 109–115
- Pressure steaming, sterilizing tools  
by**, 61–62
- Preventing**  
*Also see* Family planning  
abortions, unsafe, 415  
anemia, 36  
bladder infection, 129  
blindness (baby), 260–261, 324  
cancer of the cervix, 379, 383  
constipation, 76  
fistula (hole in the vagina), 22, 273  
goiter, 38  
health problems, community  
changes for, 23–25  
heavy bleeding after birth, 248  
HIV, 99–100, 335  
infection, 42, 49–69  
labor problems, 163  
leg cramps, 81  
malaria, 98  
miscarriages, 91  
sexually transmitted infections (STIs),  
336–337  
tears, 206–208, 356  
tetanus (lockjaw), 102, 278, 411  
yeast infection, 327
- Primaquine**, 98
- Privacy**, 7
- Processed foods**, 39
- Prolapsed cord (coming in front  
of baby)**  
episiotomy for, 354–355  
footling breech (feet first) and, 218  
slowing birth not recommended for,  
208  
twins and, 219  
watching for, 176–177  
what to do about, 177
- Protective clothing for preventing  
infection**, 56
- Protein in the urine**  
as bladder infection sign, 128  
as pre-eclampsia sign, 125, 126–127,  
180
- Proteins (grow foods)**, 34, 35, 250
- Pubic bone**  
*Also see* Pelvis  
baby stuck at shoulders, 211–213  
illustrated, 27  
symphysiotomy (cutting in middle),  
436  
using to feel for baby's head, 137

**Pulling out (withdrawal) during sex,** 301, 317

**Pulse in cord,** 139, 177. *Also see* Heartbeat (baby)

**Pulse (mother)**

in belly, 139  
checking during labor, 178  
checking during pregnancy, 120–121  
fast, 116, 121, 159, 178, 239, 251  
shock and, 239  
slow, 178  
warning signs versus healthy signs, 120

**Purgatives, avoiding,** 77

**Purple color**

line between buttocks as stage 2 approaches, 195  
spots on skin, 79

**Pus, draining from vaginal infection,** 272

**Pushing (stage 2 of labor),** 195–221

*Also see* Contractions; Encouraging labor; Labor and birth; Signs (mother in labor, birth, and after)

baby does not fit through pelvis, 204  
baby not born after 1 or 2 hours of pushing, 203–205  
baby stuck at shoulders, 211–213  
bladder of mother full and, 203, 352  
breathing by the mother, 201  
checking physical signs of mother and baby, 199  
clearing baby's nose and mouth, 208–210  
cord around baby's neck, 210  
crowning, 197  
cutting the birth opening (episiotomy), 206, 354–355  
delivering baby's body and giving baby to mother, 214  
delivering the baby's shoulders, 211–213  
head of baby begins to show, 196–197  
helping the mother give birth, 206–215  
helping the mother push, 201–202  
how the baby moves through the vagina, 197–198  
overview, 146, 156, 196–198  
position of the mother, 200  
safe birth, helping, 199–202  
signs that stage 2 is near or starting, 195  
signs to watch for, 202–205  
slowing the birth of the head, 207–208

supporting the mother, 200–202  
supporting the vaginal opening, 206  
too early, before cervix is dilated, 186, 196  
warm cloths around the vaginal opening, 207

**Q**

**Quarter-circle scale, homemade,** 446

**Questions**

*Also see* Talking  
about eating habits, 34  
answering family's questions, 267  
finding root causes of health problems, 21–22  
in pregnancy health history, 85–107  
in prenatal checkup, 109–115  
midwives asking “why”, 2, 21–22

**R**

**Rashes**

avoiding during pregnancy or breastfeeding, 45  
from medicine, 103  
poor nutrition and, 117

**Razor blades,** 65

**Records**

baby's position, 140  
baby's physical signs in first few hours, 253  
of labor, 164–165, 170  
prenatal care, 144–145  
womb measurement, 131, 132

**Rectal fluids, giving,** 342

**Rectal sphincter, sewing,** 366

**Red color**

baby, 266  
legs (mother), 273

**Reflexes**

baby, 244  
over-active (mother), 125

**Rehydration drink,** 159–160

**Relaxation**

*Also see* Rest  
between contractions, 161  
helping mother during labor, 187–188

**Removing**

intrauterine devices (IUDs), 399  
milk from breasts, 284–285

**Rescue breathing,** 242–243

**Respirator,** 437

**Rest**

*Also see* Relaxation; Sleep; Tiredness  
between contractions, 161  
during pregnancy, 44  
first weeks after birth, 269

getting up and down during pregnancy, 78  
heartburn and, 75  
for high blood pressure, 124  
sleepiness during pregnancy, 75, 86

**Rh incompatibility,** 504

**Role playing,** 4

**Root causes of health problems**

finding, 21–22  
making changes in community, 23–25

**Rubella (German measles),** 45, 95

**S**

**Salt, high blood pressure and,** 125

**Sand timers,** 443–444

**Scales**

homemade, 445–446  
weighing baby using, 258

**Scars**

circumcision (female genital cutting), 206, 354–355, 367–369  
on womb from abortion, 92  
on womb from cesarean surgery, 96

**Schedules**

prenatal checkups, 144  
signs to check during stage 1 of labor, 170  
tetanus vaccinations, 102

**Seeds,** 35, 37

**Seeing.** *See* Eyes

**Seizures.** *See* Convulsions (fits)

**Semen.** *See* Sperm (semen)

**Sewing a tear or episiotomy,** 356–366

general rules, 361  
getting ready, 359  
how to sew, 362–365  
judging whether stitches are needed, 356–358  
medical help needed for, 358  
numbing the torn area, 360–361  
preventing tears, 356  
rectal sphincter, 366  
safe handling of needles, 56  
sewing within 12 hours, 358  
testing for torn muscle around anus, 357  
tools for, 358–359  
tying stitches, 364

**Sex**

*Also see* Family planning; Sexually transmitted infections (STIs)  
abusive partners, 105  
after birth, 269  
during pregnancy, 83  
HIV spread and, 99, 334  
pulling out (withdrawal) during, 301, 317  
without intercourse, 301, 312



**Sexually transmitted infections (STIs)**

*Also see* HIV  
 affecting whole body, 334–336  
 bacterial vaginosis (BV or gardnerella), 328  
 chancroid, 330, 331  
 chlamydia, 323–325  
 community and, 337  
 discharge (wetness from vagina), 323–328  
 genital herpes, 331–332  
 germs and, 50  
 gonorrhea (gono), 50, 323–325  
 hepatitis B, 336  
 how they are passed, 322  
 HPV, 333, 380, 383  
 infertility and, 31  
 itching of the genitals, 328  
 IUD dangers and, 390  
 labor not starting after breaking of waters and, 176  
 miscarriage from, 91  
 overview, 321  
 pelvic inflammatory disease (PID), 325  
 preventing, 336–337  
 sex during pregnancy and, 83  
 signs of, 321  
 sores on the genitals, 329–333  
 syphilis, 329–330  
 treating, 321, 322  
 trichomonas (trich), 326  
 yeast infection, 326–327

**Shame, pelvic exam and, 375****Sharing knowledge**

*Also see* Teaching  
 with the community, 4–6  
 with other health workers and midwives, 3–4

**Sharp wastes, disposing of, 67****Shit.** *See* Stool**Shock**

after abortion or miscarriage, 409  
 414  
 after female genital cutting (circumcision or FGC), 368  
 after heavy bleeding, 239  
 allergic reaction to medicine, 465–466  
 signs and treatment, 239

**Shortening labor.** *See* Encouraging labor**Short labor in past birth, 94****Shortness of breath (mother), 78, 103, 114****Shots.** *See* Injections**Shoulders (baby)**

checking, 262  
 delivering, 210–212  
 episiotomy for stuck shoulders, 354–355

**Show (mucus tinged with blood), 150–151****Sickness.** *See* Illness; Infections; *specific sicknesses***Side effects**

of hormonal methods for family planning, 306  
 of medicines, 464–465

**Sideways baby**

checking for, 136  
 dangers of turning, 369  
 medical help needed for, 136, 191  
 turning, 369, 371  
 twins and, 219, 220–221  
 what to do about, 143

**Sight.** *See* Eyes**Signs (baby), 252–267**

*Also see specific conditions*  
 breathing problems, 240–241, 254, 262  
 breathing rate, 254  
 breech (bottom down), 137, 138, 142–143, 190, 215–219  
 checking after birth, 240–245, 252–267  
 checking in womb, 130–144  
 chlamydia and, 324  
 cleft lip (harelip) or cleft palate, 261–262  
 color, 244–245, 266, 279  
 cord around neck, 210  
 cord coming in front (prolapsed), 176–177, 208, 218, 219, 354  
 dehydration, 275  
 dislocated hip, 265  
 drops lower in belly, 149  
 first hours after birth, 252–267  
 first weeks after birth, 274–279  
 gas pains (colic), 291  
 general appearance, 253–254  
 gonorrhea and, 324  
 heartbeat (checking), 139–141, 172–173, 243, 262  
 heartbeat fast, 173, 243, 255  
 heartbeat slow, 141, 172–173, 177, 184, 208, 243, 255  
 infection, 255, 256, 277–279  
 kicking stopped, 80, 134  
 length, 259  
 limp, weak, or does not wake up, 253–254  
 low blood pressure, 122, 180  
 measuring the womb, 90, 130–135  
 moving less or not at all, 184

not breathing, 241–243  
 not gaining weight or growing normally, 276  
 not urinating or passing stool in first day, 275  
 physical signs during 2nd stage, 199  
 position, 135–144, 170–171, 190–191, 215–219  
 prenatal checkup, 130–144  
 recording signs in first few hours, 253  
 reflexes, 244  
 stuck at shoulders, 211–213  
 temperature low, 255–256  
 thrush (yeast infection), 290  
 twins, 133, 138, 143–144  
 vomit “shoots” from mouth, 256  
 weight, 256–258  
 womb growing too fast, 133–134  
 womb growing too slowly, 134–135

**Signs (mother during pregnancy)**

*Also see* Infections; Pain; Signs (mother in labor, birth, and after); *specific conditions*  
 after abortion or miscarriage, 404, 406, 409, 411, 412, 413, 414  
 allergic reactions to medicine, 103, 465–466  
 anemia, 78, 81, 116  
 back pains, 80, 113–114  
 bladder infection, 77, 128  
 bleeding from vagina, 109, 112  
 bleeding, heavy, 106  
 bleeding in early pregnancy, 79  
 blurred vision, 109, 125  
 breasts leaking, 76  
 burning sensations, 74–75, 77  
 changes and discomforts in pregnancy, 76–81  
 constipation, 36, 76–77  
 cramps (womb), 79  
 dehydration, 111  
 depression, 82  
 detached placenta, 114, 219  
 diabetes (blood sugar disease), 93, 115, 133  
 diarrhea, 50, 111  
 discharge (wetness from vagina), 50, 77  
 dizziness, 81, 109  
 double vision, 125  
 fever, 97, 101, 109, 112, 113, 119, 120  
 general health, 110  
 headaches, 81, 109, 125  
 high blood pressure, 81, 93, 122, 124–125, 134, 97  
 iodine lack, 117  
 itching, 77  
 kidney infection, 128

leg cramps, **80–81**  
 measuring the womb, **90, 130–135**  
 medical help needed (most important signs), **106, 109, 147**  
 medicines, problems with, **464–466**  
 miscarriage, **79, 112**  
 nausea or vomiting, **73–74, 86, 110–111**  
 pain in belly, back or legs, **113–114**  
 pain in one leg, constant, **81, 113**  
 placenta previa, **112, 374**  
 poor nutrition, **117**  
 pre-eclampsia, **76, 81, 125–126, 127**  
 of pregnancy, **86–87**  
 prenatal checkup, **109–129**  
 pulse fast, **120, 121**  
 purple spots on skin, **79**  
 scars on womb, **92, 96**  
 sexually transmitted infections (STIs), **321, 323–335**  
 shortness of breath, **78, 103, 114**  
 sleepiness, **75, 86**  
 spotting, **79, 112**  
 stools black, **36**  
 sweating during pregnancy, **78**  
 swollen face and hands, **76, 81, 126, 127**  
 swollen feet, **76**  
 tiredness, **35, 75, 86, 93**  
 tubal pregnancy, **79, 113**  
 tumor (molar pregnancy), **134**  
 urethra infection, **128**  
 urination frequent, **77, 86**  
 urination painful or burning, **77**  
 vaginal infection, **77**  
 vagina smells bad, **77**  
 weakness, **111**  
 womb growing too fast, **133–134**  
 womb growing too slowly, **134–135**

**Signs (mother in labor, birth, and after)**  
*Also see* Contractions; Signs (mother during pregnancy); *specific conditions*  
 allergic reactions to medicine, **465–466**  
 baby does not fit through pelvis, **189, 204**  
 baby stuck at shoulders, **211**  
 bag of waters, **174–177**  
 being ready for emergencies, **163–164**  
 bleeding after birth, preventing, **248**  
 bleeding before placenta is born, **226**  
 bleeding during labor, **183, 205**  
 blood pressure, **180–182**  
 breast infection (mastitis), **289**

cervix visible at vaginal opening after birth, **249**  
 checking genitals for tears and problems, **248–249**  
 checking physical signs after birth, **247**  
 clot in leg, **273**  
 convulsions (fits), **181–182**  
 cord coming in front of baby (prolapsed), **176–177, 208, 218, 219, 354**  
 dehydration, **159, 178**  
 detached placenta (abruption), **184, 205, 219, 354**  
 eating and drinking, cannot or will not after birth, **250**  
 episiotomy needed, **354**  
 fever, **178–179**  
 first few hours after birth, **247–252**  
 fistula (hole in the vagina), **273**  
 genitals torn after birth, **248**  
 hematoma (blood blister) in vagina after birth, **248–249**  
 infected womb, **185**  
 infection after birth, **251**  
 labor starting soon, **149–151**  
 leaking urine or stool, **273**  
 legs red, hard, swollen, or painful, **273**  
 medical help needed, **176, 177, 179, 180–181, 204–205**  
 medicines, problems with, **464–466**  
 nausea or vomiting after drinking, **159**  
 not interested in her baby, **251**  
 pain in the womb, **183–185**  
 placenta previa, **183, 374**  
 placenta separated from womb, **226–227**  
 position of the baby, **170–171, 190–191**  
 pre-eclampsia, **180**  
 progress of labor, **185**  
 pulse, **178**  
 sexually transmitted infections (STIs), **321, 323–335**  
 shock, **239**  
 speed of birth, watching, **202–205**  
 in stage 1 (opening), **170–193**  
 in stage 2 (pushing), **202–205**  
 stage 2 (pushing) near or starting, **195**  
 temperature, **178–179**  
 thrush (yeast infection), **290**  
 torn womb, **185, 205**  
 vaginal infection, **272**  
 watching for, **163**  
 when to go to birth, **151**  
 womb infection, **179, 185, 271**

**Single mothers**, **105**

**Sitting up when pregnant**, **78**

**Size**

*Also see* Weight  
 large baby, **254, 258**  
 large baby in past, **94, 115**  
 measuring the womb, **90, 130–135**  
 small baby, **125, 221, 254, 256–257, 292**  
 small baby in past birth, **94**  
 womb bigger than normal, **115**

**Skin**

*Also see* Color (mother)  
 checking baby's, **265**  
 color (baby), **244–245, 266, 279**  
 dark patches, **79**  
 loss of stretchiness, **159**  
 pale, shock and, **239**  
 purple spots, **79**

**Sleep**

*Also see* Rest; Tiredness  
 during pregnancy, **44, 75**  
 getting up and down during pregnancy, **78**  
 heartburn and, **75**  
 strange dreams and nightmares, **82**

**Sleepiness**

*Also see* Tiredness  
 causes other than pregnancy, **86**  
 during pregnancy, **75, 86**

**Slides, making posters from**, **447**

**Slow birth**. *See* Encouraging labor; Long labor

**Slow heartbeat (baby)**, **141, 172–173, 177, 184, 208, 243, 255**

**Slow pulse (mother)**, **178**

**Small baby**, **221, 256–257**

*Also see* Early birth  
 breastfeeding and, **292**  
 causes of, **257**  
 limp, weak, or does not wake up, **254**  
 medical help needed for, **221, 256**  
 in past pregnancies, **94**  
 problems possible for, **256**  
 what to do for, **257**

**Smelly vagina**, **77, 321**

**Smoke, avoiding during pregnancy**, **104**

**Smoking**. *See* Tobacco

**Sodium hypochlorite solution**.

*See* Bleach

**Soft spots in baby's head (fontanelles)**, **259**

**Sonogram**, **90, 433, 434**

**Sore nipples**, **290**

**Sores**

on genitals (genital ulcers), **329–333**  
 poor nutrition and, **117**

**Sounds**

*Also see* Heartbeat (baby)  
helping the mother push, 201  
making in stage 1 (opening), 169

**Speculum exam, 377–383**

described, 373  
giving, 377–379  
Pap test for cancer or pre-cancer,  
379, 381–383  
vinegar test for cancer or pre-cancer,  
379, 380, 383b

**Speeding labor.** *See* Encouraging labor;  
Long labor**Spermicides, 301, 304, 305****Sperm (semen)**

germs in, 49, 50  
reproduction and, 29, 30

**Sponge method for family planning,  
317****Spontaneous abortion.** *See* Miscarriage**Spots**

rubella (German measles), 45, 95  
on skin, 79

**Spotting, 79, 112.** *Also see* Bleeding**Spring scale, homemade, 446****Square knot, 214****Squeezing exercise (Kegels), 44****Stage 1 of labor.** *See* Opening (stage 1  
of labor)**Stage 2 of labor.** *See* Pushing (stage 2  
of labor)**Stage 3 of labor.** *See* Birth of the  
placenta (stage 3 of labor)**Starting labor.** *See* Encouraging labor**Steaming**

gloves, 66  
sterilizing tools by, 61–63

**Sterile gloves.** *See* Gloves**Sterile packets, 65****Sterilization for family planning, 301,  
315****Sterilizing equipment**

*Also see* Cleanliness  
by baking, 61  
bedding, 58  
before birth, 153, 168  
before inserting IUDs, 392  
before manual vacuum aspiration  
(MVA), 420–421  
by boiling, 62  
chemicals for, 63–64  
defined, 59  
gloves, 66  
High Level Disinfection (HLD) and, 59  
infection prevented by, 51  
items requiring sterilization, 60  
mucus bulb (bulb syringe), 66  
needles, 66  
by pressure steaming, 61–62

razor blades, 65  
by steaming, 62–63  
storing tools and supplies, 64–65  
thermometers, 65  
tools, 59–64

**Stethoscopes, 139, 445****STIs.** *See* Sexually transmitted infections  
(STIs)**Stitches.** *See* Sewing a tear or  
episiotomy**Stomach problems**

nausea (morning sickness), 73–74,  
86, 110–111  
pain (heartburn), 74–75  
poor nutrition and, 117

**Stool**

baby does not pass in first day, 256  
black, 36  
constipation, 36, 76–77  
diarrhea (loose stool) in baby, 275  
diarrhea (loose stool) in mother, 50,  
111, 150, 343  
disposing of, 67  
enemas, avoiding during pregnancy,  
77  
germs in, 49  
leaking freely after birth (mother),  
273  
meconium (baby's first stool),  
174–175, 209, 213  
in waters, 174–175, 209, 213

**Stopping pregnancy.** *See* Abortion;  
Miscarriage**Storing**

bedding, 58  
tools and supplies, 64–65

**Strengthening labor.** *See* Encouraging  
labor**Suction trap, 213****Sugars (go foods), 34, 35****Sulfas (sulfanomides), 471****Supplements in health history, 103****Supplies.** *See* Tools and supplies**Supporting labor, 158, 169–170,  
200–202****Surgical birth.** *See* Cesarean surgery  
(birth by operation)**Suture lines in baby's head, 259****Sutures, 358****Sweating**

during pregnancy, 78  
shock and, 239

**Swelling**

breasts (engorged), 76, 288  
face and hands (warning sign), 76,  
81, 109, 126, 127  
feet, 76  
with headaches, 81  
legs red, hard, or swollen, 273

from medicine, 103  
veins (varicose veins), 76

**Symphiotomy, 436****Symptoms.** *See* Signs (baby); Signs  
(mother during pregnancy); Signs  
(mother in labor, birth, and after)**Syphilis, 329–330****Syringes**

*Also see* Injections; Needles  
(hypodermic)  
bulb syringe, 66, 209, 213  
for manual vacuum aspiration (MVA),  
419, 420

**T****Tablets.** *See* Medicines**Talking**

about difficult subjects, 7  
keeping things private, 7  
listening more than, 7  
with mother in prenatal checkup,  
109–115  
to women about food, 34–39

**TB.** *See* Tuberculosis**Teaching**

classes in the community, 4–5  
finding materials for, 461  
helper for birth, 151  
homemade materials for, 447–461  
how to prevent STIs, 336  
to prevent health problems, 23–25  
as purpose of pregnancy care, 70  
sharing knowledge, 3–6

**Tears**

*Also see* Fistula (hole in the vagina);  
Sewing a tear or episiotomy  
degrees of, 356–358  
genitals, checking after birth, 248  
judging whether stitches are  
needed, 356–358  
medical help needed for, 184, 205  
preventing, 206–208, 356  
pushing on mother's belly and, 205  
sewing, 356–366  
testing for torn muscle around anus,  
357  
time for sewing, 358  
vagina, 239  
vaginal infection, 272  
vaginal opening, during birth, 206  
womb during labor, 184–185, 205

**Teas**

for bladder infection, 129  
to help sleep, 75  
for migraines during pregnancy, 81  
for nausea relief, 74

**Teeth, caring for, 43**

**Temperature**

- Also see* Fever
- checking baby after birth, 255–256
  - checking mother after birth, 251
  - checking mother during labor, 178–179
  - checking mother during pregnancy, 119
  - hot feeling during pregnancy, 78
  - low (baby), 255–256
  - warning signs (mother), 109, 119, 178

**Tension**

- helping mother relax, 169–170, 187–188
- long labor and, 187–188
- when pushing, avoiding, 201, 202

**Testicles**

- Also see* Sexually transmitted infections (STIs)
- baby's, 263, 264
  - father's, 29

**Tests**

- for anemia, 116
- blood pressure, checking the mother's, 122–124, 180–182
- CD4, 335, 492
- for cancer of the cervix, 379–383
- for diabetes, 115
- for HIV, 99, 100
- for HPV, 380
- lab tests, 434
- for malaria, 99
- measuring the womb, 90, 130–135
- for pregnancy, 87
- for protein in the urine (pre-eclampsia sign), 126–127
- pulse, checking mother's, 120–121
- temperature, checking the mother's, 119
- for too much water in the womb, 134

**Tetanus (lockjaw)**

- after abortion or miscarriage, 411
- cutting the cord and, 214
- means of infection with, 102
- protecting against, 102, 278, 411
- signs in baby, 278
- signs in mother, 411
- vaccinations, 102

**Tetracyclines**, 471**Thermometers**, 65, 119. *Also see*

Temperature

**Thin mother**, 118**Three-minute hand wash**, 53–54**Thrush (yeast infection)**, 290**Thump test for water in the womb**,

134

**Time**

- Also see* Early birth; First few hours after birth; First weeks after birth; Long labor; Schedules for cutting the cord, 157
- delayed labor, 88
  - due date, 88–89, 130, 133
  - early end to pregnancy, 401–415
  - to go to birth, 151
  - homemade timers, 443–444
  - between labor start and breaking of waters, 175–176
  - months or weeks pregnant, 88, 89, 90
  - for sewing tears, 358
  - short labor in past, 93
  - signs of labor starting soon, 149–151
  - to take medicines, 469–470

**Timers, homemade**, 443–444**Tiredness**

- Also see* Anemia; Weakness
- dehydration and, 159
  - go foods for energy, 35
  - in past pregnancies, 93
  - sleepiness during pregnancy, 75, 86
  - as warning sign, 116

**Tobacco**

- avoiding during pregnancy or breastfeeding, 46
- avoiding smoke during pregnancy, 104
- infertility and, 31
- small baby and, 134, 257

**Tonics**, 103**Tools and supplies**

- Also see* Homemade equipment; Sterilizing equipment; *specific tools and supplies*
- blood pressure, 122
  - bulb syringe, 66, 209
  - caring for, 65–67
  - cloth tape measure for womb, 132
  - cryoprobe, 383a–383b
  - disposing of wastes safely, 67–69
  - at hospitals or medical centers, 435–437
  - for inserting IUDs, 392
  - items requiring sterilization, 60
  - for listening to heartbeat, 139
  - low-cost and homemade, 443–446
  - for manual vacuum aspiration (MVA), 419–421
  - for pelvic exam, 376
  - for sewing tears, 358–359
  - sterile packets of, 65
  - storing, 64–65
  - suction trap, 209
  - supplies to have at birth, 152–153

**Toothbrush, homemade**, 43**Tooth care**, 43**Torn flesh**. *See* Tears**Touching inside the vagina**

- Also see* Intrauterine devices (IUDs); Pelvic exam
- avoiding during birth, 195, 206
  - baby stuck at shoulders and, 213
  - cryotherapy, 383a–383c
  - pelvic exam, 373–387
  - piece of placenta left inside womb, 234–235
  - pressure to stop bleeding after birth, 238
  - taking out the placenta by hand, 230–231
  - vaginal exams during labor, 186, 339–340
  - womb comes out with the placenta, 232–233

**Touch in stage 1 (opening)**, 169**Toxemia of pregnancy**.

*See* Pre-eclampsia

**Traditional medicine**, 17, 463**Training**. *See* Learning by midwives; Teaching**Transfusion (giving blood through an IV)**, 436**Transport plan for medical help**, 10, 106–107, 164, 438**Treating health problems**, 13–25

- Also see specific health problems*
- avoiding unnecessary procedures, 20
  - benefits and risks, 16–17
  - finding root causes, 21–25
  - finding the best treatment, 16–21
  - finding the causes, 13–15
  - knowing your limits, 20–21
  - steps for solving problems, 13–15
  - types of medicine, 17–19, 470

**Trichomonas (trich)**, 326**Tubal litigation (sterilization for women)**, 315**Tubal pregnancy**, 79, 113**Tuberculosis**

- HIV and, 492
- infertility and, 31
- pregnancy problems and, 97
- vaccination (BCG), 267

**Tubes**

- illustrated, 28, 29
- tubal litigation (sterilization for women), 315
- tubal pregnancy, 79, 113

**Tumor (molar pregnancy)**, 134**Turning a breech or sideways baby**, 369–371

**Twins, 143–144**

- breastfeeding and, 291
- dangers of twin births, 219
- delivering, 220–221
- listening to heartbeats, 143–144
- medical help needed for, 144
- signs of, 133, 138, 143

**U****Ulcers.** See Sores**Ultrasound, 90****Umbilical cord.** See Cord; Cutting the cord**Upset stomach.** See Stomach problems**Urethra**

- caring for infection, 129
- illustrated, 27, 376
- signs of infection, 128

**Urinating**

- Also see Sexually transmitted infections (STIs)
- baby does not urinate in first day, 256
- blood in urine, 128
- catheter (tube to help urinating), 249, 352–353
- during labor, 161
- frequent, 77, 86, 115
- helping mother after birth, 249
- to help the womb contract, 236
- leaking freely after birth, 273
- painful or burning, 77, 128
- protein in the urine, 125, 126–127, 128, 180
- squeezing exercise (Kegels) and, 44
- ways of encouraging, 249, 352

**Uristicks, 126****Uterus.** See Womb (uterus)**V****Vaccinations**

- Also see Injections
- about, 276
- hepatitis B, 267
- tetanus, 102, 411
- tuberculosis (BCG), 267

**Vacuum aspiration, 92.** Also see Manual vacuum aspiration (MVA)**Vacuum extractors, 435****Vagal reaction, 426****Vagina**

- Also see Bleeding; Genitals; Pelvic exam; Sexually transmitted infections (STIs); Touching inside the vagina
- cervix visible at opening after birth, 249

fistula (hole in the vagina), 22, 94, 186

hard lump under skin, 272

hematoma (blood blister) in, 248–249

how the baby moves through, 197–198

illustrated, 27, 28, 29, 376

infection, 272

keeping germs away, 175

menopause and, 31

models for teaching about, 452–453, 454, 460

pain after birth, 248–249

preventing tears, 206–208, 356

show (mucus tinged with blood), 150–151

smells bad, 77, 321

spotting, 79, 112

squeezing exercise for (Kegels), 44

supporting opening during birth, 206

torn, 239

touching during birth, avoiding, 195, 206

vaginal exams during labor, 186, 339–340

warm cloths around opening, 207

wetness from (discharge), 77

**Vaginal exams during labor, 186, 339–340**

**Vaginal infection, 272**

**Vagus nerve, 426**

**Varicose veins, 76**

**Vasectomy (sterilization for men), 315**

**VD (gonorrhea), 50, 323–325**

**Vegetables, 35, 36, 37, 42**

**Vehicles or transportation, 10, 106–107, 164, 438**

**Veins**

- giving fluid through (IV), 350–351
- swollen (varicose), 76

**Vicryl sutures, 358**

**Vinegar test for cancer or pre-cancer, 379, 380, 383b**

**Vision**

- Also see Eyes
- blurred, 109, 125
- double, 125

**Visual pelvic exam, 373, 376**

**Vitamin A, 39**

**Vitamin B-6, 73**

**Vitamin C, 116**

**Vitamins**

- Also see specific vitamins
- buying, avoiding, 42
- to eat every day, 37, 39
- glow foods, 34, 35
- injections, 42
- pills, 36, 42

**Vomiting**

- Also see Nausea
- drinking during labor and, 159
- “shooting” from baby, 276
- warning signs versus healthy signs, 110–111

**Vulva.** See Genitals**W**

**Walking to encourage labor, 192**

**Warning signs.** See Signs (baby); Signs (mother during pregnancy); Signs (mother in labor, birth, and after)

**Warts, genital (HPV), 333, 380**

**Washing**

- Also see Cleanliness; Sterilizing equipment
- bedding, 58
- hands, 53–54, 153, 168
- mother after birth, 247
- tools, 59

**Waste disposal**

- placenta, 67, 235
- safe, 67–69

**Water and liquids**

- Also see Dehydration
- after birth, 250
- boiling to kill germs, 54
- breastfeeding and, 283
- constipation and, 76
- dirty, germs in, 50
- drinking during labor, 159–160
- for fever, 178
- first weeks after birth, 269
- giving fluid through a vein (intravenous solution or IV), 350–351
- in healthy diet, 39
- high blood pressure and, 125
- rehydration drink, 159–160

**Water in the womb.** See Bag of waters

**Water retention.** See Swelling

**Waters.** See Bag of waters

**Water timers, 444**

**Water weight.** See Swelling

**Weakness**

- Also see Anemia; Tiredness
- in past pregnancies, 93
- poor nutrition and, 117
- as warning sign, 111, 116

**Weeks pregnant, figuring, 88, 89, 90.**

Also see Length of pregnancy

**Weight**

*Also see* Size  
 baby not gaining, 276  
 checking the baby's, 256, 258  
 checking the mother's, 118–119  
 large baby, 254, 258  
 large baby in past, 94, 115  
 overweight mother, 115, 118  
 small baby, 221, 254, 256–257, 292  
 small baby in past birth, 94  
 sudden gain by mother, 118, 119  
 thin mother, 118

**Western medicine**, 17, 18

**Wetness from vagina.** *See* Discharge  
 (wetness from vagina)

**Where There Is No Doctor**, 41, 115, 328

**Where Women Have No Doctor**, 46,  
 105, 111, 322

**White color.** *See* Pale color

**White discharge.** *See* Yeast infection

**Womb (uterus)**

*Also see* Contractions; Manual  
 vacuum aspiration (MVA);  
 Measuring the womb; Placenta;  
 Position of the baby; Touching  
 inside the vagina  
 bigger than normal, 115  
 bimanual (2-hand) exam, 385–386  
 comes out with the placenta,  
 232–233

cramps in early pregnancy, 79  
 feeling baby inside, 87  
 first weeks after birth, 270–271  
 growing too fast, 133–134  
 growing too slowly, 134–135  
 helping contract after the placenta is  
 born, 224, 236–238  
 how a baby grows, 30  
 how women get pregnant, 29  
 illustrated, 28, 29  
 infection, 120, 179, 185, 271, 399  
 infection in past pregnancies, 95  
 measuring, 90, 130–135  
 models for teaching about, 450–451,  
 454–457, 460  
 pain during labor, 183–185  
 piece of placenta left inside,  
 234–235  
 position of the baby, 135–144,  
 170–171, 190–191  
 pushing on mother's belly and, 205  
 rubbing after the placenta is born,  
 224, 236  
 scar from cesarean surgery, 96  
 scars from abortion, 92  
 signs that the placenta has  
 separated, 226–227  
 sore after birth, 159  
 staying soft after placenta is born,  
 236–238

tissue coming out, after abortion,  
 408  
 torn, 184–185, 205  
 water in, too little, 134  
 water in, too much, 133

**Work**

breastfeeding and, 284–286  
 in pregnancy health history, 105

**Working with chemicals**, 47

**Worms.** *See* Parasites

**Worry during pregnancy**, 82



**X-rays**, 434



**Yeast infection**, 326–327

frequent, diabetes and, 115  
 preventing, 327  
 signs of, 326  
 thrush, 290  
 treatment, 327

**Yellow color (baby)**, 266, 279

**Young mothers**, 22, 105